SECURITY INFORMATION

CONFIDENTIAL

Copy 2 RM L53H04

JACA R.M I.53H04

7457

NACA

# RESEARCH MEMORANDUM

PRESSURE DISTRIBUTIONS ON THREE BODIES OF REVOLUTION TO

DETERMINE THE EFFECT OF REYNOLDS NUMBER UP TO

AND INCLUDING THE TRANSONIC SPEED RANGE

Langley Aeronautical Laboratory Langley Field, Va.

By John M. Swihart and Charles F. Whitcomb

This material contains information affecting the National Code transmission or revelation of which in an

# NATIONAL ADVISORY COMMITTEE FOR AERONAUTICS

WASHINGTON October 15, 1953

CONFIDENTIAL



etrositios it	note the for changed to With Lassified
Ey en 1	Masa Ted Db Anhanament #105
₿ <b>y</b>	28 Aug 56.
GNALE O	FOR ICE AND EMARCES
<u></u> 5	Apr. 61

ζ

NACA RM L53H04





#### NATIONAL ADVISORY COMMITTEE FOR AERONAUTICS

#### RESEARCH MEMORANDUM

PRESSURE DISTRIBUTIONS ON THREE BODIES OF REVOLUTION TO

DETERMINE THE EFFECT OF REYNOLDS NUMBER UP TO

AND INCLUDING THE TRANSONIC SPEED RANGE

By John M. Swihart and Charles F. Whitcomb

#### SUMMARY

This paper presents the results of an investigation conducted in the Langley 16-foot transonic tunnel to determine the effects of varying Reynolds number on the pressure distribution on a transonic body of revolution at angles of attack through the transonic speed range. The effect of a change in sting cone angle on the pressure distributions and a comparison of experimental incremental pressures with theory is also included.

The models were tested through a Mach number range from 0.60 to 1.09. The Reynolds number range based on body length was from  $9 \times 10^6$  to  $39 \times 10^6$ , and the cross-flow Reynolds number range based on maximum body diameter was  $1.3 \times 10^5$  to  $4.53 \times 10^5$  for the model at  $8^\circ$  angle of attack.


An increase in Reynolds number from  $9\times10^6$  to  $39\times10^6$  affected the longitudinal pressure distributions very slightly. These effects were of such a nature as to cause an increase of 0.05 in the normal-force coefficient of the body when tested in the subcritical cross-flow Reynolds number range. This increase is in agreement with theoretical approximations.

A comparison between experimental and theoretical values of the incremental pressure coefficient due to angle of attack indicated good agreement except at angles where separated flow areas existed over the body.

The effect of a change in sting-cone angle from  $5^{\circ}$  to  $9^{\circ}$  on the pressure distribution of the 120-inch model was negligible up to a Mach number of 1.05. At this Mach number the effect was to cause a small increase in the velocity over the rear of the body.

CONTRICTOR DATE

JIMO CO SUL



#### INTRODUCTION

Long slender bodies of revolution have been used for airships, fuselages, external stores, and more recently, for missiles. Tests of these bodies have been greatly accelerated because of their increased employment as aerodynamic shapes in the transonic and supersonic speed ranges. Some of the information available for several different bodies is reported in references 1 to 4. Some effects of Reynolds number on the pressure-distribution and force characteristics of the RM-10 missile at supersonic speeds are given in reference 1. Reference 2 presents the results of an investigation of the effects of cross-flow Reynolds number on the aerodynamic forces of bodies of different fineness ratio for various subsonic and supersonic Mach numbers.

Most of the previous investigations of the effects of Reynolds number on the flow over a body of revolution at high Mach numbers have been made with zero pitch attitude of the model. The purpose of the present investigation was to determine the effects of variations in both the longitudinal and cross-flow Reynolds numbers on the pressure distributions over a body of revolution at angles of attack from 0° to 15° for a Mach number range from 0.60 to 1.09. The sting-cone angle was changed from 5° to 9° in the presence of one body during the investigation, and the effects of this change on the pressures over the rear of the body are also discussed. An additional purpose of the investigation was to present an experimental check of a method shown in reference 5 for the calculation of the incremental pressure at any point on a slender body of revolution due to a change in body attitude from zero angle of attack. Reference 4 presents an experimental check of this method in the transonic Mach number range using a body tested at subcritical cross-flow Reynolds numbers. This paper presents a supercritical Reynolds number experimental check of the method.

Three transonic bodies of revolution with identical body profiles (except where modified for different sting supports) were tested in the Langley 16-foot transonic tunnel at angles of attack from -2° to 15° over a Mach number range from 0.60 to 1.09.

#### SYMBOLS

A	maximum cross-sectional area,	$\pi R^2$ , sq ft
C <sub>N</sub>	normal-force coefficient, $\frac{N}{qA}$	
đ.	body diameter, ft	



ı	length, ft
N	normal force, lb
P	pressure coefficient, $\frac{p - p_0}{q}$
ΔΡ	incremental pressure coefficient due to angle of attack
р	local static pressure, lb/sq ft
Po	free-stream static pressure, lb/sq ft
<b>q</b>	free-stream dynamic pressure, $\frac{1}{2}\rho V^2$ , $lb/sq$ ft
R .	maximum radius of model, ft
r	radius at given station on model, ft
Re	free-stream Reynolds number, $\frac{\rho Vl}{\mu}$ based on body length
Rec	cross-flow Reynolds number, $\frac{\rho V \text{ sin } \alpha d}{\mu}$ based on body diameter
v	velocity, ft/sec
x	longitudinal distance from nose, ft
α	geometric angle of attack, deg
θ	meridian angle, measured from bottom of body, deg
μ	viscosity, slugs/ft-sec
ρ	mass density of air in free stream, slugs/ft3

### APPARATUS

Langley 16-foot transonic tunnel. A description of the Langley 16-foot transonic tunnel giving details of the slotted transonic test section is presented in reference 6. In this facility the test-section Mach number can be varied continuously from about 0.2 to 1.09 simply

-ANTIONNY LAL


by variation of drive power; no discontinuity in operation is experienced at sonic speed. Figure 1 is a downstream view of the test section of the Langley 16-foot transonic tunnel showing the 120-inch body installed.

Support strut.- Figure 2 is a sketch of the support configuration used in the investigation of the 120-inch body. The main support is a vertical cantilever strut of circular-arc section, capped with a 14-inch-diameter cylindrical body. The cone-shaped sting is faired into this cylinder. The angle of attack of the model is varied by rotation of the complete strut and sting assembly about a point on the longitudinal axis of the body. Figure 3(a) shows the details of the long and short cones with included angles of 5° and 9°, respectively, and the relative position of the 120-inch model to the center of rotation when mounted on either cone. This center of rotation is 96 inches behind the nose of the 120-inch body for the long cone and 60 inches behind the nose for the short cone.

Model dimensions .- The body profile is that of the standard fuselage of basic fineness ratio 12 used in the NACA transonic-wing research program. One model has a maximum diameter of 10 inches, 60 inches behind the nose. The rear of this model is faired into a 2-inch-diameter cylindrical sting section which reduces the length of the actual body below the basic length of 120 inches for a body of this diameter and fineness ratio (see fig. 3(a)). Reference 7, which presents test information obtained from this identical body at zero pitch attitude, has designated the model as a 120-inch body. Therefore, for clarity of reference, despite the above-mentioned sting fairing, this model is designated the 120-inch body. The second model is the same as the 120-inch body with the exception that it is cut off at 100 inches to provide for a heavier sting support. A sketch of this model, designated the 100-inch body, and its sting is shown in figure 3(b). The third model is one-third the size of the 100-inch body with a 33.33-inch actual or 40-inch basic length. Figure 3(b) shows the 33.33-inch body-sting combination and its relative position in the Langley 16-foot transonic tunnel compared with the 100-inch body. A table of nondimensional ordinates for the basic body is shown in figure 3(a). The orifice locations for the 120-inch, the 100-inch, and 33.33-inch bodies are given in figures 3(a) and 3(b), respectively. The basic length of the body is used to define the orifice location in each case.

Model construction. The models are all metal and were maintained in an aerodynamically clean and smooth condition at all times. The surface ordinates of the 120-inch and the 100-inch bodies were essentially the same; however, they deviated from the design ordinates as indicated in figure 4. The maximum deviation was 0.02 inch between 14 and 17 percent of the length behind the nose, and the deviation was less than 0.008 inch from the specified ordinate over the rest of the body.

CONFIDENTIAL



#### TESTS

Test conditions. The Mach number range covered in this investigation was from 0.60 to 1.09. The test data were obtained at constant tunnel Mach numbers as the angle of attack was varied from -2° to 15°. For the 120-inch body, the number of meridians at which longitudinal pressure distributions over the body were obtained was effectively doubled by rolling the model 22.5° from 0° roll at each test condition.

Figure 5 shows the Reynolds number of these tests. The ranges are  $9 \times 10^6$  to  $11 \times 10^6$ ,  $26 \times 10^6$  to  $33 \times 10^6$ , and  $31 \times 10^6$  to  $39 \times 10^6$  for the 33.33-inch, 100-inch, and 120-inch bodies, respectively; all based on body lengths. The cross-flow Reynolds number ranged from  $1.3 \times 10^5$  to  $4.53 \times 10^5$  with the models at  $8^\circ$  angle of attack. For angles of attack above  $8^\circ$ ,  $Re_c$  for the 33.33-inch body is in the critical range and below  $8^\circ$  Re $_c$  for the large body approaches the critical region; therefore, cross-flow was investigated at only  $8^\circ$  angle of attack. The free-stream relative humidity was at all times below the saturation point and generally varied from about 80 percent at the lower speeds to less than 30 percent at the maximum speed.

Instrumentation and accuracy of measurements.— The locations of the the pressure orifices are shown in figure 3 for the 100-inch, 120-inch, and 33.33-inch bodies. The pressure orifices in the 120-inch body are located in 5 meridians of 21 orifices each, distributed longitudinally as shown. There were 4 orifice meridians on the 100-inch body and 6 orifice meridians on the 33.33-inch body. It should be noted that the  $\theta = 75^{\circ}$  and  $105^{\circ}$  meridians did not extend the entire length of the 33.33-inch body because of space limitations. The pressure tubes from these orifices were conducted through the sting and strut, and thence to multiple-tube manometers. The pressure coefficients are estimated to be accurate to to.005. The angles of attack as presented are estimated to be accurate to to.005.

<u>Tunnel-wall</u> corrections. There have been no tunnel-wall corrections applied to the data presented in this paper. Such corrections exclusive of reflected disturbances at supersonic speeds are believed to be negligible within the speed range of the investigation (see ref. 7).

#### RESULTS AND DISCUSSION

Presentation of pressure distributions. Table I gives the pressure coefficients on the 120-inch body for 9 meridians and 21 axial positions. Pressure data on the 33.33-inch body was previously presented in reference 4





Comparisons of the pressure distributions along the 0° and 180° meridians of the bodies are depicted in figure 6 for angles of attack from 0° to 15° and Mach numbers from 0.60 to 1.09 as plots of pressure coefficient against fraction of body length. The slight discrepancies which occurred at x/l = 0.17 are attributed to local surface deviations of 0.023 inch over the two larger bodies as shown in figure 4. Tunnel boundary reflected disturbances also affected the distributions over the 120-inch body at the supersonic Mach numbers greater than 1.02 (no distributions were obtained over the 100-inch model in this range). These effects were observed at all angles of attack. A comprehensive investigation of these disturbances on bodies of revolution at zero angle of attack is included in reference 8. Reference 7 defines the extent of the effect of these disturbances on the pressure distributions over the 120-inch body at zero angle of attack in the Langley 16-foot transonic tunnel. Mild effects of these reflected interferences on the large bodies are noted in the vicinity of x/l = 0.35at a Mach number of 1.05. The reflected disturbances become stronger as the Mach number is increased. At a Mach number of 1.09, the disturbances cause an abrupt positive increase in the pressure coefficients of the 120-inch body at x/l = 0.44. These wall-reflected interferences appear to have little or no effect on the pressure distribution over the smaller 33.33-inch body in the Langley 16-foot transonic tunnel at Mach numbers of 1.05 and greater since the reflected disturbances pass downstream of the body at these tunnel velocities.


The expected pressure-recovery discrepancies between the 33.33-inch and 100-inch bodies and the 120-inch body are apparent in figure 6. The 33.33-inch and 100-inch bodies show an abrupt pressure recovery behind x/l = 0.75, whereas the 120-inch body shows a more gradual recovery farther downstream on the afterbody.

Effect of Reynolds Number On the Body Pressure Distributions

Longitudinal pressure distributions. The effect of increasing the Reynolds number over body sections is to move the transition point from laminar to turbulent flow toward the nose of the body at subsonic speeds. This movement would increase the area of turbulent flow over the body surface and it would be expected that separation would be delayed to higher angles of attack. Such changes in the flow would be indicated in both the pressure distributions and force measurements obtained from the body. However, if a turbulent boundary layer exists over the entire body, no changes should be expected in the pressure distributions with increases in Reynolds number (for example, ref. 9).

Comparison of the pressure coefficients at the  $0^{\rm O}$  and  $180^{\rm O}$  meridians for the bodies in figure 6 show small differences in the subsonic speed range. Comparisons at the other meridian stations not included show similar results. Similar differences are shown in the supersonic speed





range except in those regions where wall-reflected wave interferences intersect the large bodies. It is estimated that the boundary-layer flow over the two large bodies was almost completely turbulent since the Reynolds number was generally about  $30\times10^6$ , and reference 10 shows that transition occurs at a Reynolds number of about  $11\times10^6$  on a highly polished body. Reference 10 also showed no effect of Reynolds number at zero angle on the pressure distributions except in a region of adverse pressure gradient near the model base. Since very small differences in pressure coefficient occurred near the rearmost orifices of the 33.33-inch body when compared to the 100-inch body, it is estimated that the boundary-layer flow was turbulent in this region.

Because only slight variations in the pressure distributions along the body meridians were noted where comparisons were possible, it was believed that more significant differences might become apparent if the circumferential pressure coefficients were examined at stations along the body.

Circumferential pressure distributions. When a body of revolution is rotated to an angle of attack, the cross section of the body presented to that component of the air stream normal to the longitudinal axis is a circular cylinder. It has long been known that an abrupt reduction in the pressure drag of cylinders occurs when the boundary layer changes from laminar to turbulent flow. If Re is below the critical values, there is laminar flow over the cylinder and separation of the boundary layer occurs near the maximum radius, however, if Re is above the critical value, turbulent flow exists and the boundary layer remains attached to the cylinder until near the rear stagnation point. Reference 11 shows the critical Reynolds number range for a cylinder to be from  $2 \times 10^5$  to  $4 \times 10^5$ . Significant changes in the pressure distribution around the cylinder should be evident with the separated laminar flow yielding lower pressure coefficients.

Figure 7 shows the variation of pressure coefficient with meridian angle at x/l = 0.10 for all the bodies at  $8^{\circ}$  angle of attack and Mach numbers of 0.60, 0.95, 1.00, and 1.02. The data for the 33.33-inch body from reference 4 are also presented. The x/l = 0.10 station was chosen because the local cross-flow Reynolds number for all the bodies would be below the critical value. There is good agreement between the pressure coefficients for all the bodies at most meridian angles and Mach numbers. Figure 8 shows the circumferential pressures for two stations near the maximum diameter for all bodies at  $8^{\circ}$  angle of attack and at Mach numbers of 1.00 and 1.02. In this case the local cross-flow Reynolds number is above the critical range for the large bodies and below the critical range for the 33.33-inch body. The pressure distributions at x/l = 0.36 and x/l = 0.61 for a Mach number of 1.00 show that the small body is developing more negative pressures over the upper






surface  $(\theta \ge 90^{\circ})$ . At a Mach number of 1.02 and x/l = 0.36 it appears that the pressure distributions of the large bodies and the 33.33-inch body in the Langley 8-foot transonic tunnel are being affected by slight boundary reflected over-expansions (see ref. 8) since the 33.33-inch body pressures of the present investigation are more positive at all meridian angles. At the same Mach number but at the more rearward body location of x/l = 0.61, the distributions indicate no such interferences. The slotted-tunnel interference investigation of reference 8 made with this identical 33.33-inch body indicated that no local disagreement in pressure distributions should be anticipated at this body location at a Mach number of 1.02.

In general, it has been shown that the small changes in the axial distribution of pressure coefficients may be significant when examined in the light of the circumferential distributions around the body. Reference 3 indicated that the normal force of a body might be increased by an increment of cross-drag and that some differences might be expected between the forces of a body operated in subcritical and supercritical Rec. This expected difference in normal-force coefficient could be attributed to the change in cross-drag coefficient for a circular cylinder from 1.2 to about 0.3 when the critical cross-flow Reynolds number range was exceeded. Calculation of the normal-force coefficients for the 33.33-inch body and the 100-inch body by the method of reference 3 indicates that an increment of about 0.05 should be evident. The associated changes in drag and pitching moment are very small. Figure 9 shows the normal-force coefficient at 80 angle of attack for the 33.33-inch and 100-inch bodies at Mach numbers from 0.80 to 1.02. The values were obtained from integration of the pressure data, and the normal-force coefficients for the 33.33-inch body are from reference 4. The increase of about 0.05 in the normal-force coefficient of the small body over the 100-inch body which is in good agreement with the theoretical approximations is estimated to be the result of operating in a subcritical crossflow Reynolds number range as shown by the circumferential pressure distributions in figure 8.

Incremental pressure coefficients due to angle of attack. The gradual changes shown in the pressure coefficients even at the high subsonic and transonic Mach numbers encourage the use of a simple approach to the evaluation of the body-pressure distributions. Reference 5 presents a method for estimating the theoretical value of incremental pressure coefficients due to angle of attack on an inclined slender body of revolution. The basic assumption made in the application of this theory is that the crosswise flow on a slender inclined body of revolution may be treated simply by considering only the flow perpendicular to the body longitudinal axis. The variation in incremental pressure coefficients with the meridian angle for the 120-inch and 33.33-inch bodies at 80 nominal angle of attack and three Mach numbers is shown in figure 10. The theoretical curve for each case is obtained by the method of reference 5,






and the experimental values are shown for the indicated Mach numbers. The agreement between experimental values and theory is similar to that reported in reference 4 for the 33.33-inch body alone and these data substantiate the statements therein that this theoretical approximation is valid through the transonic speed range for unseparated flow. The theory of reference 5 was developed for the inviscid case and does not apply where separation over the body exists. Separation over the upper rear surface of the body is indicated by a break in the pattern, at a meridian angle near  $90^{\circ}$ , to an incremental pressure coefficient which tends toward zero. This can be clearly seen at x/l = 0.767 in figure 10.

Effect of change in sting-cone angle .- Figure 11 shows the pressure distribution along the 1800 meridian of the 120-inch body for the 50 and 9° sting-cone angles for 0° angle of attack and Mach numbers of 0.60, 0.95, 1.00, and 1.05. The change in sting-cone angle was coincident with a change in tunnel axial position of the model as shown in figure 3. For this reason, the very small axial changes in local velocity in the empty tunnel must be evaluated in addition to the local velocity changes on the body attributable to the change in sting-cone angle. The effect of the change in sting-cone angle from  $5^{\circ}$  to  $9^{\circ}$  and the coincident shift in tunnel axial position is very small. At the subsonic Mach numbers (0.60 and 0.95) the experimental data showed higher velocities over the rear portion of the body in the presence of the 50 cone which were fully explained by the change in axial position. At sonic speed the velocities were higher in the presence of the 9° cone which was again traced to the change in axial position. At a Mach number of 1.05, however, the change in axial position did not entirely explain the higher velocities on the afterbody in the presence of the 9° cone. The higher velocities in the presence of the 90 cone are opposite in sense to the difference expected from a theoretical consideration of the subsonic flow ahead of two different cones. The maximum difference in pressure coefficient is only 0.025 at a Mach number of 1.05, but it serves to emphasize that stingsupport systems should be kept as small as possible with their maximum diameter far behind the model.

### CONCLUSIONS

The investigation of three slender bodies of revolution at angles of attack from -2° to 15° through a Mach number range of 0.60 to 1.09 has led to the following conclusions:


1. Reynolds number had a small effect on the axial pressure distributions of these slender bodies of revolution for the range of the variables investigated.





- 2. The decrease in the body normal-force coefficient when increasing the cross-flow Reynolds number above the critical range is in agreement with theoretical approximations.
- 3. Existing theory for calculation of incremental pressure coefficients on a slender body of revolution operating at angle of attack yields results which are in good agreement with experiment except in areas of separated flow.
- 4. The effect of a change in sting-cone angle from  $5^{\circ}$  to  $9^{\circ}$  and a coincident change in tunnel axial position on the pressure distribution was negligible up to a Mach number of 1.05.


Langley Aeronautical Laboratory,
National Advisory Committee for Aeronautics,
Langley Field, Va., August 11, 1953.





#### REFERENCES

- 1. Perkins, Edward W., Gowen, Forrest E., and Jorgensen, Leland H.:
  Aerodynamic Characteristics of the NACA RM-10 Research Missile
  in the Ames 1- by 3-Foot Supersonic Wind Tunnel No. 2 Pressure
  and Force Measurements at Mach Numbers of 1.52 and 1.98. NACA
  RM A51G13, 1951.
- 2. Allen, H. Julian, and Perkins, Edward W.: Characteristics of Flow Over Inclined Bodies of Revolution. NACA RM A50L07, 1951.
- 3. Allen, H. Julian: Estimation of the Forces and Moments Acting on Inclined Bodies of Revolution of High Fineness Ratio. NACA RM A9126, 1949.
- 4. Estabrooks, Bruce B.: An Analysis of the Pressure Distribution Measured on a Body of Revolution at Transonic Speeds in the Slotted Test Section of the Langley 8-Foot Transonic Tunnel. NACA RM L52D2la, 1952.
- 5. Allen, H. Julian: Pressure Distribution and Some Effects of Viscosity on Slender Inclined Bodies of Revolution. NACA TN 2044, 1950.
- 6. Ward, Vernon G., Whitcomb, Charles F., and Pearson, Merwin D.: Air-Flow and Power Characteristics of the Langley 16-Foot Transonic Tunnel. NACA RM L52EO1, 1952.
- 7. Hallissy, Joseph M., Jr.: Pressure Measurements on a Body of Revolution in the Langley 16-Foot Transonic Tunnel and a Comparison With Free-Fall Data. NACA RM L51L07a, 1952.
- 8. Ritchie, Virgil S., and Pearson, Albin O.: Calibration of the Slotted Test Section of the Langley 8-Foot Transonic Tunnel and Preliminary Experimental Investigation of Boundary-Reflected Disturbances. NACA RM L51K14, 1952.
- 9. Jacobs, Eastman N., and Sherman, Albert: Airfoil Section Characteristics As Affected by Variations of the Reynolds Number. NACA Rep. 586, 1937.
- 10. Czarnecki, K. R., and Marte, Jack E.: Skin-Friction Drag and Boundary-Layer Transition on a Parabolic Body of Revolution (NACA RM-10) at a Mach Number of 1.6 in the Langley 4- by 4-Foot Supersonic Pressure Tunnel. NACA RM L52C24, 1952.
- 11. Stack, John: Compressibility Effects in Aeronautical Engineering. NACA ACR, Aug. 1941.





### TABLE I

# PRESSURE COEFFICIENTS OF A 120-INCH FINENESS-RATIO-12 BODY OF REVOLUTION IN THE LANGLEY 16-FOOT TRANSONIC TUNNEL

(a) M = 0.60.

				<b>c</b> -	-2.1°									a = 1	1°				
x/1		В	С	D	R	7	G.	H	Ţ	<b>z/</b> l	A	В	С	D	E	7	G	H	ı
0.017	0.0959	0.0843	0.0928 .0637	0.1044	0.1200	0.1337 .0879	0.1491	0.1576 .1081	0.1601	0.017	0.1825	0.1718	0.1480	0.1352	0.1078	0.0895	0.0768	0.0749	0.0749
.033	.0087	.0092	.016	.0165	.0309	.0348	.0491	.0531	.0527	.067	.0748	.0713	.0530	.0329	.0146	.0037	0018	00219	.0018
.100	009k	0037 0385	.0055 0309	0 0238	0127	.0128 0037	.0236 0091	.0238	.0273	.100	.0156	.0530	.0384 0037	.0128	0018 0256	0161 0311	0347	0365	0365
.167	0567	0605	0527	0550	0437 0618	0403 0568	0273 0455	0238 0495	0200 0437	.167	0110 0383	0146 0384	0292	0457 0658	0585 0749	0640	0658 0749	0621	0603 0713
.233	0676 0621	0696 0641	0637	0715 0696	0618	0605	0509	0495	0546	.300	0420	0439	0530	0676	0749	0731	0694	0621	0621
.367 .433	0607 0603	0623	0563	0678 0678	0582 0637	0605 0641	0509 0564	0495	0418	.367 .433	0460 0529	0457 0548	0548	0658 0713	0694 0731	0694 0694	0658 0640	0603	0585 0603
.500	0603	0641	0600	0715	0655	0696 0641	0618	0660	0582	.500	0602	0621	0676 0640	0768 0694	0749 0676	-:0731 -:0621	0640 0530	0603	0603 0493
.567	0548 0567	0550 0623	0527 0582	0623	0564 0637	0733	0564 0655	0623 0715	0546 0655	.567	0602 0730	0603 0731	0749	0768	0713	0676	0567	0548	0512
.700	0494 0331	0531 0403	0491 0364	0641 0476	0637 0491	0715 0586	0673 0546	0751	0691 0564	.700	0785 0675	0768	0749	0786	0713	0603 0420	0193 0329	0457 0292	0439 0274
•733 •767	0058	0128	0091	0202	0200	0330	0309	0403	0327	.767	0456	0475	0439	0365	0238 .0073	0146 .0183	0073 .0238	0054	0018 0274
.800 .833	.0214	.0183 .0421	.0200 .0455	.0073	.0091	.0311	.0018	0055	.0255	.833	01 <i>6</i> 4 .01 <i>2</i> 8	0146 .0146	0091	0055 .0256	.0365	.0439	.0457	.0439	.0457
.867	.0632	.0623	.0673	.0605	.0618 .0982	.0531	.1000	.0495	.0527	.867	.0402	.0439	.0493	.0567	.0621	.0621	.0621	.0621	.0610
.900 •933	.0959	.093 <sup>‡</sup>	.0982 .0982	.0934 .0934	.0982	.0934 .0953	.1019	.0971	.1019	.933	.1077	.1042	.1005	.0950	.0932	.0914	.0932	.0932	.0969
				α.	• 0°									c = (	5.2°				
0.017	0.1187	0.1154	0.1170	0.1228	0.1224	0.1283	0.1279	0.1319	0.1334	0.017	0.2165	0.1960	0.1544	0.1209	0.0772	0.0605	0.0441	0.0476	0.0441
.033	.0803	.0643	.0841	.0843	.0841	.0843	.0859	.0861	.0377	.033	.1633	.1539	.1139	.0788	.0404	.0238	.0110	.0165 0183	.0129
.067	.0256	.0311	.0329	.0311	.0329	.0330	.0347	.0366 .0073	.0365	.067	.0991	.0898 .0696	.0551	.0018	0110	0403	0257 0441	0385	0506
.133	0110	0183 0421	0183	0092 0421	0091	0037 0403	0037 0384	0055 0348	0037	.133 .167	.0459	0018	0294	0235	0496 0809	0531 0506	0551 0845	033 0133	0515 0735
.167	0602	0550	0548	0586	0585	0550	0548	0550	0548	-233	0239	0275	0533	0788	0956	0953	0900	I O768	0790
.300 .367	0566 0556	0550 0531	0548	0586 0550	0585 0548	0568 0550	0548 0548	0550 0513	0518	.300	0330 0401	0366 0421	0588	0824 0806	- 0956	0898 0843	0809 0753	0678 0623	0606
• 433	0584	0586	0585	0605	0603	0586	0585 0621	0586 0605	0603 0621	. 433 . 500	0477 0587	0550 0623	0735	0879 0934	0956 0974	0843	0735 0698	0623	0606
.500 .567	0621 0584	0623 0550	0621	0623 0550	0621 0548	0623 0550	0548	0550	0548	.567	0587	0623	0790 0772	0861	0882	0733	038	0513	0478
.633 .700	0639 0602	0623	0621 0585	0605	0621 0621	0623 0623	0621 0603	0623	0621	.633	0771 0862	0770 0843	0900	093 <u>4</u> 0953	0900	0733 0623	0588 0515	0531 0458	0515
.733	0438	0410	0457	0476	0457	0458	0457	0458	0457	.733	0771	0788 0605	0845 0625	0806 0513	0662 0331	0403 0110	0331 0092	0293 0073	0257 0055
.767 .800	0164 .0128	0183 .0128	0183	0183	0183	0220	0219	0202	0219	.767	0569 0294	0257	0257	0183	.0018	.0183	.0184	.0202	.0202
.833 .867	.0365	.0385		.0356	.0365	.0385	.0384	.0348	.0365	.833 .867	0018	.0018	.0037	.0183	.0331	.0403	.0386 .0551	.0366 .0550	.0368 .0515
.900	.0986	.0989	.0987	.0971	.0987	.0989	.0987	.0989	.0987	.900	.0789	.0843	.0882	.0916	.0919	.0898 .0898	.0864	.0843	.0827
-933	.1004	.0989	.1005	.0989	.1005	.0989	.0987	.0989	.0987	•933	.1138	.1099	.0992	.0953	.0900	.0090	.0919	.0971	.1011
				a.=	2.0°					<u></u>				G = 1	8.3°				
0.017	0.1475	0.1425		0.1316		0.1096		0.1042		0.017	0.2581	0.2230	0.1612	0.1042			0.0110 0165		0.0202
.033	.1020	.1078		.0914	.0804	.0694	.0640	.0621	.0585	.033	.1995 .1299	.1773	.1209 .0605	.0018	0385	0493	0495	0347	0348
.100	.0237	.0329	.0274	.0146	.0091 0146	0018	0055 0183	0073	0091 0238	.100 .133	.1007	.0877	0037		0513 0733	0658 0786	+.0623 0715	0493 0621	0476 0586
.133 .167	.0036	0055 0311		0091	0475	0512	0530	0193	0512	.167	.0329	.0146	0293	0749	1044	1078	0989	0822 0822	0806 0806
.233 .300	0526 0528	0493 0512		0621	0640 0640	0640 0621	0658 0640	0640 0585	0676 0622	.233 .300	0018 0128	0146	0550	0950	1191 1191		0969 0861	0713	0660
.367 -333	0561	0512	0530	0585	0603	0621	0603	0585	0567	.367	0256	0347	0678 0788		1136	1023 0987	0788 0751	0640	0586
.500	0601 0637	0585 0610	0658	0640 0694	0640 0676	0676	0640 0640	0621 0640	0640	.433 .500	0329 0458	0475 0585	0861	1115	11173	0969	0715	0621	0550
.567 .633	0619 0710	0585 0694		0621 0676	0603 0658	0585 0640	0567 0603	0548	0530	.567	0494 0677	0603 0786	0861	1042	1063 1063	0804	0586 0586	0548 0585	0440
.700	0728	0694	0676	0694	0658	0603	0567	05h8	0530	.700	0824	0877	1063	1151	0989	0603	0513 0348	0530	0121 0275
.733 .767	0583 0346	0603 0365	0567	0530	0494	0457 0183	0102 0116	0384 0128	0366	.733 .767	0586	0859 0676		0676		0110	0110	0164	0110
.800	0055	0018	.0018	.0018	.0073	.0128	.0165	.0183	.0201 .0420	.800	0311	0365 0073	0421		.0037	.0164	.0165	.0091	.0147
.833 .867	.0237 .0492	.0274	.0567	.0567	.0585	.0621	.0640	.0640	.0640	.867	.0220	.0238	.0275	.0512	.0586	.0585	.0531	-0493	.0440
.900 -933	.0492 .0947 .1001	.0950	.0969	.0950	.0951	.0950	.0969	.0950	.0951	.900 .933	.0805	.0822	.0879	.0969	.0953	.0950	.0898 .0934	.1005	.0843
	-									-							~	NAC	ترمر








TABLE I .- Continued

# PRESSURE COEFFICIENTS OF A 120-INCH FINENESS-RATIO-12 BODY OF

## REVOLUTION IN THE LANGLEY 16-FOOT TRANSONIC TUNNEL

(b) M = 0.80.

				a =	-2.2°									a = 1	1°				
x/l	٨	В	С	D	E	P	G	н	I	x/1	٨	В	С	D	B	P	G	Ħ	1
0.017 .033 .067	0.1138 .0759 .0234 .0039	0.1155 .0758 .0250	0.1201 .0834 .0308 .0149	0.1316 .0857 .0312	0.1471 .1006 .0418 .0235	0.1601 .1068 .0498	0.1789 .1238 .0639 .0382	0.1836 .1316 .0721 .0449	0.1911 .1373 .0761 .0431	0.017 .033 067	0.2110 .1586 .0916	0.2089 .1571 .0941 .0706	0.1775 .1335 .0724 .0491	0.1719 .1188 .0595 .0336	0.1359 .0895 .0308 .0088	0.1262 .0756 0262 .0032	0.1090 .0650 .0137 0083	0.1052 .0632 .0188 0059	0.1017 .0601 .0186
.133 .167 .233 .300	0156 0523 0645 0596	0270 0555 0654 0617	0242 0511 0634 0597	0134 0530 0679 0667	0634 0438 0609 0609	.0052 0369 0568 0580	.0186 0279 0475 0499	.0213 0171 0444 0456	.0247 0120 0389 0414	.133 .167 .233 .300	.0404 .0022 0302 0363	.0262 0059 0294 0368	.0064 0254 0474 0523	.0077 0356 0578 0615	0156 0548 0719 0719	0158 0553 0701 0677	0242 0621 0719 0670	0232 0553 0664 0578	- 0254 - 0572 - 0682 - 0597
.367 .433 .500 .567 .633	0549 0571 0596 0535 0584	0555 0629 0629 0530 0605	0518 0609 0621 0536 0609	0592 0667 0679 0592 0654	0560 0634 0683 0597 0670	0580 0642 0691 0617 0729	0511 0585 0634 0585	0444 0568 0642 0592 0716	0414 0536 0609 0560	.367 .433 .500 .567 .633	0415 0473 0570 0570 0716	0380 0504 0590 0553 0701	0511 0621 0682 0645 0780	0566 0664 0714 0664 0738	0670 0731 0768 0670 0743	0652 0677 0714 0627 0689	0621 0621 0645 0548 0584	0541 0578 0578 0579 0529	0548 0572 0572 0487 0535
.700 .733 .767	0535 0327 0046 -0283	0543 0382 0084 0263	0560 0389 0095 0259	0654 0444 0146 .0201 .0461	0683 0499 0193 .0149	0741 0555 0283 .0102	0732 0585 0316 .0064 .0382	0791 0592 0357 .0015	- 0744 - 0585 - 0340 - 0027 - 0321	.700 .733 .767 .800	0801 0643 0436 0083	0763 0677 0430 0059	0804 0694 0425 0034 .0308	0813 0640 0343 .0015 .0348	0743 0548 0205 .0161 .0467	0640 0417 0109 .0262 .0533	0523 0315 0034 .0284 .0528	0467 0245 .0002 .0336 .0558	0462 0254 .0002 .0320
.833 .867 .900 .933	.0527 .0772 .1077 .1089	.0523 .0758 .1068 .1081	.0516 .0761 .1091 .1079	.0721 .1056 .1056	.0443 .0724 .1091 .1079	.0411 .0672 .1093 .1068	.0651	.0634	.0639	.867 .900 .933	.0551 .1062 .1208	.0583 .1089 .1200	.0626 .1103 .1127	.0694	.0724 .1066 .1042	.0756	.1042	.1052	.0736
				α =	-0.1°									a =	6.2°				
0.017 .033 .067 .100 .133 .300 .433 .500 .563 .700 .757 .800 .800 .933	0414 0597 0585 05597 0597 0683 0670 0475 0193 .0149	.0439 .0252 0434 0583 0571 0583 0683 0683 0683 0696 0496 0496 0496 0496	.0162 .0445 .0715 .1095	0596 0670 0695 0508 0209 .0140	.1034 .0445 .0223 0222 0415 0561 0561 0561 0661 0585 0593 0593 0395 0395 0395 0395 0395 0395 0420 042	.1012 .0464 .0237 .0040 0583 0571 0621 0623 0583 0595 0595 0595 0595 0595 0595	.1034 .0469 .0152 -0378 -0575 -0575 -0561 -0661 -0673 -0673 -0673 -0673 -0673 -0673 -0673	.1049 .0489 .0177 .0015 0578 0521 0621 0683 0695 0834 .0140 .0686 .0695	.1071 .0526 .0174 .0015 .0317 .0526 .0526 .0536 .0611 .0636 .0575 .0673 .0685 .0521 .0138 .0420	0.017 .033 .067 .100 .133 .167 .233 .300 .367 .433 .500 .567 .633 .700 .767 .800 .837 .900	.1927 .1208 .0928 .0920 .0132 -0217 -0327 -0521 -0497 -0521 -0592 -0592 -0593	060 0219 .0080	.1445 .0785 .0540 .0100 -0218 -0575 -0535 -0756 -0756 -0756 -0718 -0933 -0933 -0862 -0933 -0935 -0935 -0940 -0166	.1075 .0453 .0217 .0057 .0493 .0729 .0761 .0761 .0966 .1040 .0966 .1040 .0966 .1040 .0966 .1050 .0966 .1050 .0966	.0663 .0088 0099 0340 0731 0902 0902 0829 0927 0853 0698 0698 0698 0699 0699	.0426 -0057 -0243 -0825 -0966 -0916 -0916 -0916 -0916 -0916 -0717 -0466 -0144 -0225 -0466 -0666	.0357 -0063 -0267 -0825 -0825 -06825 -06825 -0670 -0670 -0670 -0577 -0486 -0297 -029	.0316 0070 046 0767 0816 069 0	.0381 .0022 .0230 .0364 .0698 .0719 .0609 .0735 .0548 .0438 .0438 .0438 .0438 .0438 .0438 .0438 .0438 .0438 .0438 .0438 .0491 .0669
	·!			G.	2.00	`								a =	8.4°				
0.01' .0306' .100 .13136 .23300 .56 .56 .70 .73 .76 .80 .83 .89 .99	1277 10627 106	1310 10706 107	.123 .0406 .0406 .0406 .0499 .0499 .0633 .0633 .0707 .0707 .0707 .0706 .0707	.1150 .0058 .0080 .0080 .0090	0 1025 0 0416 0	.0956 .0399 .0156 .0003 .0509 .0509 .0509 .0533 .0633 .0622 .0633 .0622 .0633 .0622 .0633 .0622 .0633 .0623 .0633 .0623 .0633	2 .085% 2 .0333 2 .007% 2008 3048 00620 50605 00605 0063	.0876    .038    .0076    .0	.0834 .0933 .0051 20120 70462 50560 30535 50560 30523 70584 00560 30523 70584 00560 30516 00516 00516	.86	.223,	5 .2109 1377 1099 109	5 .148 5 .078 2 .078 3 .052 4 .007 3 .052 4 .063 5 .064 5 .063 6 .079 6 .079 6 .079 6 .086 8 .102 2 .111 102 8 .034 7 .003 7 .003 7 .106	3 .098** 3 .098** 5 .0095 5 .0095 5 .0095 6 .0095 7 .006** 7 .1007 7 .106 6 .116 1 .123 6 .011** 9 .072** 1 .057** 7 .107** 7 .107**	7 .034; 7 .0200 0 .0200 1 .0633 5 .1013 7 .1189 7 .1117 9 .117 9 .117 9 .117 9 .103 3 .108 3 .103 -073 6 .0457 7 .0457 0 .109	5 .010 5 .035 1 -048 2 -078 3 -108 3 -108 5 -113 5 -107 5 -091 7 -069 6 -010 9 -010	4 .006 5 -032 5 -032 5 -053 6 -053 6 -072 6 -072 6 -072 6 -075 6 -075 6 -075 6 -075 6 -075 6 -075 6 -075 6 -075 6 -075 6 -075 6 -075	3023 3024 5045 5055 5057 7055 7057 7057 7057 7054 0039 0 -	.0174 1 -0132 2 -0353 7 -0487 2 -0744 2 -0764 8 -0548 8 -0548 8 -0548 8 -0548 8 -0548 9 -0426 1 -0475 1 -0475 1 -0486 0 -0382 1 -0553





TABLE I .- Continued

# PRESSURE COEFFICIENTS OF A 120-INCH FINENESS-RATIO-12 BODY OF REVOLUTION IN THE LANGLEY 16-FOOT TRANSONIC TUNNEL

(c) M = 0.90.

				c. = -	-2.3°									a =	4.1°				
x/1	A	В	С	D	E	P	G	H	ı	x/l	A	В	С	D	E	7	G	н	I
0.017 .033 .067 .100 .133 .107 .233 .307 .433 .500 .567 .633 .700 .767 .800	0.1315 .0900 .0288 .01037 0127 0533 0716 0618 0673 0673 0683 .0288 .0288	0.1325 .0919 .0354 .0173 -0222 -0584 -0702 -0570 -0570 -0570 -0647 -0640 -0094 -0094	0.1\16 .0957 .0398 .0215 059\10587 06\11 0587 0685 0707 0663 0138 .0267 .0552	0.1527 .1037 .0429 .0215 .0062 .0731 .0712 .0616 .0712 .0638 .0734 .0744 .0439 .0439 .0439 .0555	0.1679 .1169 .0552 .0300 .0266 0466 0663 0663 0663 0663 0663 0663 0663 0663 0663 0663 0663	0.1826 -1250 .0621 .0354 .0358 0362 0666 0595 0680 0734 0630 0630 0630 0630 0630 0630	0.1986 .1405 .0760 .0761 .0245 0532 0543 0541 0541 0595 0595 0595 0595 0595 0595	0.2061 .1485 .0823 .0459 .0269 0190 0478 0616 0627 0627 0672 0672 0672 0672 0675 0655	0.2106 .1526 .0924 .0930 .0311 0138 0423 0455 0574 0664 0664 0694 0390 .037	0.017 .033 .067 .100 .133 .367 .357 .433 .500 .757 .633 .767 .800 .833 .867	0.2336 .1769 .1007 .0734 .0462 0017 0497 0616 0606 0802 0911 0828 0464 0808	0.2251 1750 1047 .0780 .0322 0403 0403 0516 0516 0712 0446 0090 .0333 0465	0.2035 .1511 .0845 .0583 .0146 0247 0509 0662 0672 0836 0672 0727 0432 .0015 .0365	0.1953 .1377 .0674 .0407 .0141 0360 0657 0573 0691 0808 0893 0893 0808 0893 0808	0.1566 .1052 .0452 .0190 0061 0552 0773 0672 0773 0803 0803 0803 0214 .0201 .0201 .0201	0.1473 .0972 .0354 .0077 -0104 -0573 -0794 -0669 -0701 -0637 -0723 -0691 -0446 -0094 .0311 .0610	0.1282 .0779 .021 .0021 .0159 .0629 .0760 .0683 .0640 .0662 .0683 .0574 .0640 .06167 .03167 .0321 .0399 .0391	0616 0509 0595 0541 0296 0002 .0375 .0610 .0823	0.1194 .0747 .0266 0061 0192 0585 0596 0596 0596 0585 0585 0581 0279 .015 .0376 .0376
.900 -933	.1140 .1140	.1143	.1154	.1154	.1154	.1133	.1176	.1175	.1176 .1165	.900 -933	.1170	.1185	.1194	.1185	.1162	.1175	.1129 .1107	.1143 .1143	.1118
<u></u>				α,	-0.1°									α=	6.2°				
0.017 .033 .067 .133 .167 .233 .300 .367 .333 .500 .733 .700 .733 .700 .833 .800 .933	0.1620 .1151 .0485 .0277 .0421 .0421 .0529 .0536 .0618 .0618 .0618 .0618 .0618 .0749 .0750 .0500 .0496 .0190 .0496 .0190 .0190	0.1636 .1198 .0369 .0369 .00414 .05414 .0521 .0521 .0638 .0638 .0630 .0703 .07	0.1635 .1164 .0562 .0344 .0072 .0643 .0663 .0663 .0663 .0663 .0663 .0663 .0663 .0663 .0740	0.1732 .1219 .0539 .0333 .0077 .0404 0666 0638 0671 0596 0703 0792 0790 .0190 .0190 .0190 .0191 .0190	0.1711 .1197 .0584 .0392 .0433 .0590	0.1787 .1219 .0611 .0290 .0130 -0361 -0554 054 0567 0617 0617 0713 0713 0713 0710 0911 0211 0211 0211 0211	0.1766 .1197 .0584 .0313 .0114 0597 0596 0597 0619 0712 0712 0712 0841 0712 0841 0712 0841 0712 0841	0.1817 .1273 .0675 .0301 .0598 0513 0521 0510 0666 0660 0724 0725 0710 0222 .0205 .0205 .0303 .0205 .0303 .0	0.17% .1290 .0661 .076 .077 .077 .077 .077 .077 .077 .077	0.017 .033 .067 .100 .133 .101 .133 .300 .433 .500 .507 .600 .600 .600 .600 .600 .600 .600 .6	0.2618 .2014 .0916 .0608 .0114 0259 0318 0633	0.2491 .1947 .1920 .0921 .0451 .0455 -0382 -0382 -0575 -0671 -0671 -0895 -0190 .0152 .0190 .1160	0.2054 .1547 .0809 .0544 .0071 -0546 -0557 -0646 -0829 -0869 -0869 -1042 -1130 -097 .0227 .0137 .0533 .1073 .1172	0.1797 .1220 .0547 .0269 -0019 -0721 -0788 -0873 -0873 -08917 -1076 -09917 -1076 -09917 -1076 -09917 -1076 -09917 -1076 -11141 -0906 -0753 -01075 -0312 -0591 -01075 -0107	0.1260 .0732 .0115 -0117 -0855 -1042 -1042 -1053 -1053 -0778 -1053 -0778 -1053 -1053 -1053 -1053 -1053 -1053 -1053 -1053 -1053 -1053 -1053 -1053 -1053 -1053 -1053 -1053 -1053 -1053 -1053 -1054 -1053	0.1113 .0611 .0045 -0222 -0393 -0874 -1013 -0949 -0921 -0876 -0489 -0489 -0126 -0489 -0126 -0136	0.0886 .0412 0073 0458 0890 0458 0897 0811 0822 0668 0439 0139 0139 0139 0139 0139 0139	0.0942 .0504 .0077 0222 0393 0767 0692 0575 0660 0575 0593 0593 .0243 .0451 .0663 0593 .0243 .0451	0.0831 .0434 .0007 .0249 .0436 .0866 .0734 .0650 .0690 .0690 .0635 .0585 .0585 .0585 .0585 .0585 .0585 .0585 .0585 .0587 .0587
0.017 .033 .067 .100	.0694	0.1925 .144 .0771 .0536	0.1816 .1322 .0696 .0466	0.1840 .1306 .0622 .0365	0.1662 .1135 .0509 .0279	.1081 .0191 .0191	.0971 .0422 .0150	.0996 .0451 .0120	0.1432 .1157 .0400 .0059 0094	0.017 .033 .067 .100	0.3071 .2413 .1603 .1264 .0935	0.2797 .2218 .1437 .1126 .0634	0.2169 .1641 .0883 .0609	0.1672 .1084 .0377 .0088 0201	0.0982 .0477 0127 0358 0611	0.0730 .0227 0298 0704	0.0620 .0180 0259 0444	0.0655 .0248 0126 0394	0.0620 .0268 0094 0336 0479
.133 .167 .233 .300 .367 .433 .500 .563 .700 .733 .767 .800 .933	.0201 -0269 -0543 -0543 -0560 -0652 -0652 -0857 -0857 -0857 -0852 -0857 -0852 -0852 -0852 -0852 -0852 -0852	.0098 0286 0511 0532 0500 0639 0669 0831 0660 0397 .0718 .1177 .1177	. 03% - 03% - 05% - 05% - 05% - 06% - 05% - 05%	.0109 -0393 -0618 -0628 -0564 -0682 -0767 -0831 -0618 -0276 .0120 .0120 .0150 .0156 .1156	.0015 -0466 -0667 -0676 -0599 -0698 -0793 -0793 -0793 -0798 -0266 -0158 -0266 -0158 -0178 -01782	.0013 0479 0670 0650 0618 0618 0715 0735 0735 0735 0730 .0236 .0536 .0762 .1167	0029 0512 0676 0676 0676 0709 0709 0709 0687 0149 0149 0553 .0768 .1157 .1113	0073 0489 0618 0515 0585 0585 0703 0682 0425 0115 .0280 .0547 .0814 .1156	094 054 0687 0654 0656 0666 06	.167 .233 .300 .367 .433 .500 .567 .633 .767 .800 .833 .867 .900	.0939 .0431 .0004 0116 0332 0488 0532 0773 0839 0642 0247 .0103 .0399 .1067	.0034 .0216 0137 0207 0319 0522 0662 0697 1047 095 0769 0319 .0015 .0377 .1019	-0259 -0567 -0666 -0671 -0851 -0951 -0929 -1127 -1266 -1105 -0809 -0336 .0070 .0490 .1136	-0.694 -0.983 -1.059 -1.1054 -1.1154 -1.1218 -1.1279 -1.122 -0.747 -0.0266 .0206 .0206 .1148 .1191	-1083 -1259 -1248 -1180 -1279 -1281 -1138 -1127 -0787 -0787 -0787 -0740 .0140 .0158 .1158	0165 1163 1197 1133 1133 0961 0951 0790 0490 .0206 .0495 .0719 .1137	1066 1050 0897 0899 0776 0776 0666 0669 0692 0402 0105 .0224 .0466 .1114 .1147	0897 0919 0769 0726 0778 0683 0769 07501 0501 0244 .0088 .0323 .0591 .1073 .1191	- 0820 - 0842 - 0677 - 0578 - 0611 - 0479 - 0556 - 0512 - 0259 - 0259 - 0191 - 0389 - 058 - 0191 - 0389 - 058






TABLE I .- Continued

# PRESSURE COEFFICIENTS OF A 120-INCH FINENESS-RATIO-12 BODY OF REVOLUTION IN THE LANGLEY 16-FOOT TRANSONIC TUNNEL

(d) M = 0.95.

				a =	-2.3°									a = 1	1°				
x/l	A	В	С	D	В	F	G	н	I	x/l	A	В	С	D	В	P	G	H	I
0.017 .033 .067	0.1474 .1056 .0453	0.1449 .1029 .0424	0.1550 .1141 .0528	0.1675 .1162 .0496	0.1877 .1325 .0661	0.1982 .1388 .0711	0.2184 .1571 .0896	0.2198 .1603 .0875	0.2297 .1703 .0998	0.017 .033 .067	0.2425 .1863 .1138	0.2348 .1826 .1080	0.2126 .1624 .0917	0.2041 .1448 .0712	0.1737 .1204 .0508	0.1581 .1049 .0415	0.1460 .0938 .0334	0.1397 .0896 .0384	0.1368 .0887 .0365
.100 .133 .167	.0198 0037 0557	.0209 0201 0652	.0323 0106 0556	.0281 0027 0590	.0425 .0129 0444	.0414 .0168 0416	.0548 .0344 0260	.0486 .0271 0221	.0599 .0374 0106	.100 .133 .167	.0760 .0484 0047	.0834 .0313 0137	.0672 .0160 0291	.0425 .0139 0434	.0262 0025 0588	.0108 0086 0648	.0057 0127 0690	.0037 0157 0638	.0037 01 <i>6</i> 8 0639
.233 .300 .367 .433	0751 0649 0622 0639	0806 0724 0621 0744	0710 0638 0556 0679	0806 0775 0672 0795	0658 0658 0566 0710	0683 0672 0631 0744	0526 0536 0515 0628	0560 0611 0508 0693	0454 0444 0413 0587	.233 .300 .367 .433	0425 0445 0418 0568	0434 0485 0444 0638	0567 0598 0537 0731	0710 0730 0638 0802	0823 0803 0700 0844	0843 0771 0720 0781	0844 0741 0680 0741	0781 0669 0607 0679	0782 0659 0598 0659
.500 .567 .633	0680 0578 0721	0765 0642 0795	0699 0597 0740	0826 0703 0857	0751 0638 0802	0826 0713 0898	0720 0607 0612	0765 0683 0898	- 0669 - 0597 - 0812	.500 .567 .633	0691 0660 0895	0720 0658 0904	0793 0721 0946	0863 0761 0935	0885 0752 0905	0832 0679 0822	0762 0618 0741	0689 0566 0679	0670 0557 0680
.700 .733 .767 .800	0690 0394 0016 .0382	0765 0488 0109 0312	0720 0444 0065 .0364	0898 0590 0191 .0240	0873 0566 0188 0252	0980 0683 0344 .0137	0904 0628 0311 .0170	1000 0703 0396 .0076	0914 0648 0331 .0139	.700 .733 .767 .800	1017 0772 0466 0027	0996 0791 0474 .0016	1028 0793 0424 .0047	1027 0720 0331 .0129	0946 0639 0209 .0231	0802 0485 0096 -0333	0711 -:0403 0045	0648 0352 0004	0639 0332 .0006 .0405
.833 .867 .900	.0668 .0913 .1250	.0588 .0865 .1193 .1173	.0650 .0937 .1264 .1223	.0558 .0824 .1203 .1162	.0589 .0885 .1274 .1233	.0496 .0793 .1244 .1183	.0528 .0834 .1305 .1284	.0404 .0732 .1234 .1214	.0466 .0793 .1315 .1284	.833 .867 .900	.0341	.0374 .0722 .1243	.0405 .0774 .1255 .1245	.0497 .0834 .1243 .1223	.0569 .0856 .1225	.0650 .0865 .1223 .1151	.0611 .0856 .1184 .1153	.0630 .0865 .1192 .1202	.0641 .0856 .1184 .1245
			ļ	<u>a</u> =	-0.2°								1	c = 0	6.2°	l		L	1
0.017	.1242	.1284	.1114	-1315	.1340	0.1909	0.1935 .1340	0.1930 .1356	0.1935	0.017	.2206	.2074	.1733	.1327	.0966	.0784	.0680	.0651	.0660
.067 .100 .133	.0587 .0311 .0065	.0629 .0383 0037 0498	.0662 .0405 0006	.0629 .0352 .0086	.0662 .0384 .0117 0438	.0660 .0311 .0137	.0692 .0343 .0158 0417	.0721 .0311 .0096	.0734 .0323 .0107 0397	.067 .100 .133		.1296 .1030 .0487	.0987 .0721 .0210			.0160 0127 0311 0874		.0190 0127 0311 0782	.0210 0106 0290 0750
.233 .300 .367	0712 0651 0596	0692 0672 0590	0664 0633 0561	0713 0703 0590	0664 0664 0571	0692 0651 0610	0653 0633 0592	0672 0610 0569	0643 0602 0540	.233 .300 .367	0241 0322 0309	0321 0414 0383	0556 0627 0576	0844 0895 0803	1026 0995 0903	1038 0946 0885	0954 0832 0750	0864 0710 0639	0842 0678 0607
.433 .500 .567 .633	0691 0753 0671 0845	0733 0764 0672 0856		0754 0795 0682 0836	0736 0766 0653 0807	0713 0774 0672 0846	0684 0756 0643 0828	0713 0774 0672 0856	0684 0746 0643 0838	.433 .500 .567 .633	0618	0606 0710 0680	0872 0811	0936	0924	0966 0782	0791	0690 0690 0577 0690	0648 0658 0525 0638
.700 .733 .767	0865 0579 0200	0866 0610 0231	0838 0592 0212	0907 0610 0221	0690 0592 0212	0897 0610 0252	0869 0581 0232	0918 0600 0262	0879 0571 0232	.700 .733 .767	1046 0822 0567	1069 0909 0608	1159 0944 0586	1212 0895 0475	0709 0219	0813 0455 0066	0678 0382 0035	0639 0352 0035	0586 0280 .0027
.800 .833 .867	.0219 .0546 .0833 .1242	.0219 .0547 .0834 .1233	.0559 .0867 .1247	.0516	.0220 .0538 .0836 .1237	.0209 .0547 .0823 .1243 .1192	.0220 .0569 .0857 .1268	.0209 .0516 .0823 .1243 .1182	.0220 .0538 .0836 .1268	.800 .833 .867	.0239 .0565 .1176	0127 .0248 .0600 .1183	.0701	.0436 .0805	.0378	.120	.0783	.0324 .0538 .0753 .1122	.0374 .0619 .0772 .1130
•933	.1211	.1192	.1206		2.00	.1192	.1210	,1102	.120	-933	.1492	.1415	1 -1334	G =		1,120	.1202	.1250	1.55
0.017	0.2010	0.2081		0.2000	0.1891	0.1805		0.1683	0.1645	0.017		0,2908	0.2329	0.1759	0.1183	0.0887		0.082	0.0845
.100	.0843 .0526 .0270	.0896 .0620	.0805 .0549 .0098	.0742	.0631 :0354 :0088	.0609 .0282	.0526	.0568	.0528 .0180 0014	.067 .100	.1739 .1351 .101	.11492 .1143	.1019	.0425 .0127 0181	0004 0260 0546	0181 0458 0622	0147 0383 0526	0006 0294 0468	.0027 0250
.167 .233 .300 .367	0579	0260 0536 0536 0485	0588 0598 0526	0638 0556	0701 0690 0608	0639 0638 0597	0629	0556		.167 .233 .300 .367	0037 0159 0300	0200 034 033	0608 0710	1073 114 1053	1334 1304 1201	1320 1176 1115	1120 0935	0909 0950 0776 0704	0894 0690 0628
. 433 .500 .567 .633	0651 0743 0681	0658 0709 0628 0842	0711 0752 0670	0699	0741 0772 0670	0679 0740 0617	0721 0752 0629	0658 0699 0577	0690 0721 0608	.500 .567 .633	0373 0537 0578	0581 070	091 0997	1238 1310 1197	1324 1369 1191	1125 1145 0909	0843 0843 0700	0745 0786 0683	0649
.700 .733 .767	0968 0691 0344	0904 0669 0311	0916 0670 0311	0893 0607 0229	0895 0588 0209	0801 049 0137	0782 048 0116	0730 0423 0065	0752 0444 0086	.700 .733 .767	1057 0873 0659	113 101 074	1334	1163 111 0653	0792	0817	0731 0434 0096	0786 0499	0608 0321 0086
.800 .833 .867	.0444 .0761 .1252	.0497 .0824 .1284	.0498 .082	.0548 .0855	.0559 .0846 .1235	.0640 .0896	.0887	0650 0916 126	.0887	.800 .833 .867	.0167	.012	.0160 .0600	.0363	.0538 .0825	.0569 .079 .122	.0538 .0763	.0661	
•933	.1252	.1274	.1225	.1243	.1215	.1223	.1194	.1223	.1194	•933	.1627	.151	.1396	.1297	.1255	.122	.1265	.1318	





## TABLE I.- Continued

# PRESSURE COEFFICIENTS OF A 120-INCH FINENESS-RATIO-12 BODY OF REVOLUTION IN THE LANGLEY 16-FOOT TRANSONIC TUNNEL

(e) M = 0.99.

				c. =	-2.3°									a =	4.1°				
<b>x/</b> l	A	В	С	D	В	P	G.	H	ı	x/l	A	В	С	D	В	7	G	н	ı
0.017 .033 .067	0.1657 .1178 .0524	0.1612 .1211 .0574	0.1662 .1241 .0604	0.1808 .1338 .0662	0.1936 .1437 .0731	0.2112 .1563 .0878	0.2240 .1672 .0976	0.2367 .1789 .1064	0.2387 .1789 .1064	0.017 .033 .067	0.2576 .1989 .1208	0.2511 .1993 .1210	0,2315 ,1826 ,1063	0.2159 .1621 .0838	0.1924 .1386 .0642	0.1689 .1180 .0515	0.1552 .1102 .0446	0.1542 .1063 .0495	.1053 .0485
.100 .133 .167	.0231 0004 0707 0971	.0339 0092 0709	.0339 0092 0710 0925	.0378 .0084 0631 0905	.0447 .0143 0572 0876	.0515 .0300 0445	.0604 .0378 0367	.0633 .0398 0239 0660	.0653 .0388 0249 0661	.100 .133 .167 .233	.0846 .0553 0111 0571	.0887 .0388 0190 0552	.0750 .0250 0317 0669	.0525 .0221 0493 0836	.0358 .0055 0659	.0202 0004 0767 1012	.0143 0043 0816 1012	.0123 0102 0787 0983	.0133
.233 .300 .367 .433	0961 0596 0737	0915 0944 0553 0758	096 0572 0788	1003 0582 0788	1004 0572 0808	0778 0395 0543 0719	0729 0857 0514 0710	0827 0415 0650	0896 0416 0680	.300 .367 .433	0688 0319 0571	0728 0376 0660	0816 0464 0738	1002 0572 0826	1070 0640 0875	1051 0689 0855	1022 0659 0796	1002 0620 0767	0982 0591 0738
.500 .567 .633	0727 0746 0991 0961	0709 0719 0935 0925	0749 0768 0994 0994	0768 0817 0993 1052	0788 0876 1043 1141	0739 0866 1042 1130	0719 0886 1062 1170	0650 0905 1062 1189	0651 0915 1072 1219	.500 .567 .633 .700	0620 0962 1098 1303	0650 0963 1051 1286	0708 0992 1100 1286	0816 1051 1100 1335	0855 1002 1090	0846 0943 1022 1129	0767 0816 0924 0982	0718 0806 0914 0973	0689 0748 0885 0914
.733 .767 .800	0473 .0035 .0436	0484 .0006 .0457	0533 0043 .0427	0562 0063 ·.0388	0670 0141 .0329	0699 0200 .0310	0768 0278 0241	0778 0268 .0221	0788 0308 .0202	.733 .767 .800	0991 0326 .0094	1032 0376 .0114	0953 0346 .0153	0885 0258 .0211	0699 0141 .0329	0581 0043 .0427	.0025	0425 .0045 .0476	0395 .0065 .0505
.833 .867 .900 .933	.0739 .0963 .1335 .1325	.0750 .1025 .1358 .1319	.1005 .1318 .1280	.0701 .0995 .1358 .1299	.0662 .0966 .1358 .1299	.0672 .0976 .1407 .1326	.0613 .0917 .1397 .1339	.0564 .0897 .1407 .1358	.0535 .0878 .1388 .1348	.833 .867 .900 .933	.0455 .0797 .1354 .1442	.0476 .0818 .1347 .1405	.0524 .0877 .1376 .1366	.0583 .0936 .1347 .1307	.0681 .0975 .1337 .1278	.0740 .0975 .1327 .1249	.0759 .0973 .1297 .1258	.0720 .0965 .1288 .1268	.0750 .0975 .1297 .1337
					-0.2º									a =			1		
0.017 .033 .067	0.:1897 .1377 .0672	0.1878 .1447 .0761	0.1880 .1448 .0751	0.1976 .1476 .0761	0,1978 1487 .0771	0.2035 .1496 .0829	0.2027 .1487 .0820	0.2104 .1555 .0888	0.2086 .1536 .0869	0.017 -033 -067	0.2949 .2323 .1502	0.2810 .2251 .1427	0.2474 .1945 .1161	0.2163 .1555 .0741	0.1759 .1210 .0456	0.1398 .0918 .0251	0.12 <del>0</del> 9 .0828 .0231	0.1261 .0810 .0280	0.1269 .0848 .0319
.100 .133 .167	.0368 .0123 0562	.0486 .0045 0553	.0187 .0035 0553	.0476 .0182 0524	.0167 .0182 0524	.0476 .0251 0494	.0457 .0241 0494	.0486 .0222 0416	.0467 .0212 .0436	.100 .133 .167	.1091 .0798 .0153	.1084 .0565 .0006	.0838 .0319 0229	.0437 .0124 0573	.0172 0121 0826	0063 0249 1004	0053 0229 0993	0063 0269 0955	001 0210 0895
.233 .300 .367 .433	0395 0935 0560 0729	0827 0906 0524 0759	0838 0916 0534 0759	0837 0955 0533 0759	- 0848 - 0965 - 0553 - 0769	0808 0906 0543 0720	0618 0916 0563 0730	0778 0916 0504 0720	0799 0936 0524 0740	.233 .300 .367	0376 0512 0241 0493	0416 0612 0327 0631	0601 0787 0484 0768	0935 1122 0729 1004	1110 1238 0836 1061	1210 1229 0886 1033	1130 1101 0768 0866	1073 1043 0690 0808	1013 0973 0611 0729
.500 .567 .633 .700	0729 0817 1082 1082	0720 0788 1014 1033	0740 0789 1034 1054	0739 0798 1004 1073	0759 0759 1024 1093	0720 0808 1014 1073	0740 0799 1034 1093	0700 0837 1053 1112	0720 0838 1063 1132	.500 .567 .633	0552 0933 1080 1314	0631 0975 1082 1357	0748 1071 1199 1365	0975 1239 1288 1514	1012 1110 1267 1306		0836 0758 0934 0885	0759 0788 0935 0945	-,0680 -,0640 -,0856 -,0817
•733 •767 •800	0611 0102 0329	0602 0131 .0398	0622 0151 .0339	0622 0131 .0329	0642 0151 .0310	0622 0151 .0349 .0692	0632 0180 .0320	0602 0171 -0339	0612 0190 .0320	.733 .767 .800	1070 0454 0023	1308 0494 0024	1071 0484 .0016	1092 0406 .0084	0738 0161 .0329	0563 0033 .0388	0425 .0025 .0427	0445 0024 0378	0307 .0065 .0476
.833 .867 .900 .933	.0652 .0956 .1358 .1309	.0682 .0986 .1378 .1320	.0663 .0967 .1369 .1301	.0663 .0967 .1359 .1329	.0644 .0948 .1350 .1320	.0967 .1388 .1329	.0673 .0957 .1369 .1320	.0653 .0957 .1388 .1310	.0634 .0948 .1369 .1301	.833 .867 .900 .933	.0358 .0671 .1297 .1600	.0339 .0673 .1271 .1516	.0107 .0789 .1357 .1165	.0496 .0878 .1310 .1359	.0672 .0946 .1328 .1338	.0692 .0918 .1300 .1290	.0701 .0917 .1298 .1347	.0604 .0829 .1202 .1339	.0691 .0877 .1240 .1485
				a =	2.00			!						α = 6	3.4°				
0.017 .033 .067	0.2253 .1696 .0934	0.2192 .1722 .0976	0.2119 .1659 .0926	0.2094 .1594 .0829	0.1973 .1493 .0750	0.1898 .1369 .0712	0.1816 .1297 .0642	0.1810 .1300 .0682	0.1796 .1278 .0661	0.017 .033 .067	0.3416 .2732 .1853	0.3177 .2590 .1719	0.2609 .2070 .1249	0.2120 .1493 .0642	0.1493 .0945 .0172	0.1102 .0632 0023	0.0975 .0554 0004	0.1033 .0622 .0133	0.1033 .0661 .0172
.100 .133 .167 .233	.0602 .0338 0346 0747	.0682 .0222 0367	.0632 .0162 0434 0738	.0525 .0241 0465 0808	.0456 .0162 0552 0855	.0369 .0163 0582 0886	.0319 .0114 0650 0894	.0290 .00 <del>5</del> 5 0612 0896	.0290 .0045 0630 0894	.100 .133 .167 .233	.1442 .1130 .0485 0092	.1356 .0818 .0260 0190	.0896 .0378 0151 0571	.0339 .0016 0660 1061	0092 0386 1061 1344	0307 0503 1237 1113	0268 0425 1168 1247	0180 0356 1032 1080	0121 0307 0973 1022
.300 .367 .433	0825 0476 0668	0700 0827 0455 0710	0855 0464 0728	0955 0533 0769	0973 0532 0777	0955 0602 0759	0943 0581 0748	0975 0573 0759	0963 0542 0738	.300 .367	0258 0110 0326	0395 0209 0503	0748 0542 0816	1217 0914 1159	1462 1090 1325	1403 1090 1208	1159 0855 0924	0992 0718 0816	0933 0591 0699
.500 .567 .633 .700	0668 0971 1079 1264	0690 0847 1073 1112	0689 0924 1031 1207	0749 0837 1053 1122	0748 0924 0992 1178	0759 0778 1014 1024	0728 0855 0943 1090	0720 0739 0994 0975 0484	0699 0855 0943 1080	.500 .567 .633 .700	0444 0834 0981 1274	0552 0924 1012 1335	0826 1168 1296 1481	1129 1433 1482 1677	1276 1374 1481 1442	1198 1100 1159 1051	0875 0748 0933 0875 0434	0806 0806 1022 1022	0579 0591 0816 0796
.733 .767 .800 .833	0805 0219 .0221 .0573	0749 0269 .0241 .0584	0787 0229 .0270 .0603	0690 0190 .0280 .0633	0659 0121 .0329 .0671	0573 0102 -0388 -0722	0562 0053 .0427 .0750	0484 0043 0447 0722	0503 0023 .0456	.733 .767 .800 .833	1186 0512 0063 0328	1354 0581 0082	1354 0620 0112 .0319	1237 0513 .0006 .0476	0826 0151 .0358 .0681	0493 0004 .0407 .0720	0434 .0006 .0397 .0681	- 0513 - 0141 - 0251 - 0515	0268 0004 .0378
.867 .900 .933	.0895 .1393 .1364	.0918 .1388 .1349	.0935 .1386 .1337	.0947	.0975 .1366 .1307	.0996 .1378 .1300	.1004 .1366 .1297	.0996 .1349 .1290	.1004 .1356 .1297	.867 .900 .933	.0641 .1325 .1794	.0642 .1317 .1709	.0740 .1415 .1571	.0916 .1425 .1464	.0984 .1434 .1425	.0975 .1415 .1405	.0926 .1395 .1415	.0799 .1337 .1454	.0798 .1297 .1542
																	-	NACA	-

COMPANY



TABLE I .- Continued


# PRESSURE COEFFICIENTS OF A 120-INCH FINENESS-RATIO-12 BODY OF

### REVOLUTION IN THE LANGLEY 16-FOOT TRANSONIC TUNNEL

(f) M = 1.0.

				a = .	.2.3°						,			a = 1	.1°		•		
x/1	٧,	В	С	D	E	7	a	B	ı	x/l	٨	В	С	D	E	F	G	H	ı
0.017 .033 .067 .100 .133 .300 .367 .433 .500 .567 .633 .761 .803 .803 .861 .900	0821 0987 1046 0773 .0105 .0544 .0827 .1061 .1403	0.1696 .1286 .0623 .0379 .0041 .0802 .0816 .0656 .0656 .0756 .0756 .0047 .0593 .0877 .1105 .1384	0.1688 .1278 .0594 .0350 .0862 .0862 .0078 .0784 .0784 .0784 .0966 .0901	0.1901 .1432 .0662 .0398 .0154 -0656 -0714 -0819 -1066 -1211 -1066 -1211 -1066 -0002 -1081 -10827 -1081 -10827 -1081	0.1971 .1483 .0692 .0488 .0164 .0637 .0832 .1057 .0784 .0968 .1135 .1223 .1014 .0408 .0701 .1014 .1395 .1268	0.2223 .1676 .0886 .0544 .0579 -0656 -0655 -0724 -0968 -1085 -1251 -1251 -0119 -0466 .0769 .1481 .1393	0.2313 .1747 .0936 .0594 .0408 -0617 -0686 -0940 -0520 -0686 -1104 -1194 -1194 -1294 0139 .0139 .0340 .0557 .1424 .1366	0.2457 .1823 .1110 .0671 .0418 -0256 -0578 -10519 -0636 -1066 -1310 -1320 -0226 .0398 .0593 .1472 .1423	- 1213 - 1311 - 0158 - 0291 - 0565	0.017 .033 .067 .137 .233 .300 .347 .433 .500 .567 .633 .767 .833 .767 .833 .767 .833 .767 .833 .767 .833 .867 .867 .867 .867 .867 .867 .867 .867	0.2667 .2067 .1273 .0886 .0625 .0710 .0416 .0459 .11262 .11262 .11262 .11262 .11263 .1	0.2567 2050 .1268 .0957 .0447 -0530 -0759 -0559 -0637 -0911 -1165 -1262 -0227 .0281 .0590	0.2401 .1907 .1131 .0816 .0285 -0595 -0595 -0498 -0615 -0780 -1129 -1129 -0159 .0306	0.2206 .1669 .0907 .0754 .0262 -0700 -0774 -1038 -0617 -0735 -1977 -1204 -1311 -0119 .0360 .0692 .1024 .1297	0.2013 .1470 .0714 .0423 .0132 0605 0877 0663 0770 0663 1119 1119 1119 1119 1119 0004 .0471 .0782 .1163 .1182	0.1757 1258 .0555 .0886 .0959 -0959 -0715 -0764 -08718 -1077 -11650 .0957 .0958 -1077 -11650 .0957 .0838 .1073 .1395 .1317	0.1645 .1179 .0529 .0209 .0205 .0701 .0906 .01032 .0702 .0702 .0954 .0954 .0954 .0954 .0954 .0954 .0954 .0954 .0954 .0954 .0956 .095	0.1610 .1102 .07535 .0164 -0051 -0764 -08637 -07055 -0705 -0705 -0705 -0940 -1015 .0594 .0115 .0809 .0115 .0809 .0115	0.1606 .1121 .0506 .0190 .0023 -0721 -0848 -0993 -0764 -0692 -0706 -0993 -0542 .0617 .0617 .0617 .0617 .1383 .1412
		•		a =	-0.20									c. =	6.2°				
0.01 0.08 0.08 0.08 0.08 0.08 0.08 0.08	1372 .0680 .0218 .0104 .0596 .0659 .0752 .0752 .0659 .0752 .0859 .0957 .0957 .0957 .0957 .0957 .0957	.0536 .0086 .00765 .00799 .00799 .0676 .0676 .0676 .1077 .1175 .1077	0675 0744 0900 0451 0695 0822 1027 1066 0997 .018 .0506 .0808	0.2050 .1552 .0760 .0506 .0242 .0569 0735 0608 0676 0833 0921 1245 0041 .0477 .0790 .1063 .11454 .1337	-,1007 -,0002 ,0467 ,0769 ,1072	0.2138 .1601 .0839 .0506 .0330 0706 0960 0588 0657 0730 1028 1136 0070 .0487 .0790 .1063 .1174 .1396	0470 0636 0744 0900	.1611 .0946 .0281 .0422 .0667 .1038 .0569 .0666 .0950 .1233 .1116 .0051 .0487	.0632 .0379 .0314 .0958 .0431 .0636 .0695 .0919 .1007 .1134 .1065 .0021 .0457 .0711 .1033 .1472	0.017 .033 .067 .100 .133 .167 .233 .300 .367 .433 .700 .767 .633 .667 .900	2396 1544 1148 0857 0170 - 0323 - 0575 - 0251 - 0450 - 0526 - 0894 - 1126 - 11394 - 0575 0190 0480 11380	0.2897 .2331 .1492 .1169 .0633 080 0373 0556 0431 0519 1203	1051 1255 1429 1594 0411 .0200 .0520 .0879 .1431	.1609 .0769 .0496 .0164 -0568 -0832 -0871 -1175 -1276 -1276 -1276 -1437 -0236 -0301 -0522 -1003	1071 1303 0906 0974 1012 1187 1323 1449 1235 0471 .0762 .0471 .0762	.1033	.0908 .0297 0014 0178 0954 1158 0809 0780 0818 0857 0953 1071 0731 0791 .0791 .0791	0.1335 .0857 .0857 .0900 0902 0949 1115 0715 0715 0841 0959 10666 .0666 .0525 .0711 .0935 .1306	0.1354 .0908 .0394 .0035 -0159 -0857 -1012 -0634 -0663 -0766 -0993 -0588 .0796 .1305 .1577
				<b>c.</b> =	2.0°									α =	8.4°				
0.01 .03 .06 .10 .13 .30 .36 .30 .36 .30 .70 .73 .70 .73 .80	1817 1048	1777 1034 1075	.1743 .1015 .0705 .0239 .0392 .0635 .0635 .0653 .0653 .0653 .0553 .0553 .0572 .0613 .0714 .0714 .0714 .0714	.1650 .0907 .0604 .0280 0705 0705 0506 0882 0940 1197 1197 1197 1197 1197 1197 1197 053 073 073	.1568 .0831 .0520 .0248 b -0718 -0741 -0732 -0732 -0732 -0737 7 -1013 -11593 -0863 -0663 -0663 -0663 -0663 -0782 -0782 -0782 -0782 -0782 -0782	.1484 .0731 .0418 .0248 0794 0764 0768 0768 0768 0769 0911 092 0968 0916	.1384 .0734 .0190 .0666 .0967 .0967 .0967 .0674 .0732 .0732 .0732 .0839 .0959 .0850 .0950 .0850 .0950 .0950 .0950 .0950 .0950	.13k7 .0721 .03k0 .0113 0608 0761 1067 0731 0877 0877 0876 0861 .0661 .0661 .0661 .0661 .0661	1316 1.0685 1.0316 1.0316 1.0074 1.0045 1.00790 1.00718 1.00718 1.00718 1.00718 1.00718 1.00718 1.00718 1.00718 1.00718 1.00718 1.00718 1.00718 1.00718	0.017 .033 .067 .100 .133 .300 .367 .500 .561 .633 .761 .800 .833 .831 .900	.1883 .1467 .1167 .0499 0081 .0115 0217 0410 0807 1066 1339 1339 1076 .0441	.2666 .1763 .1418 .0866 .0183 .0183 .0183 .0394 .0394 .0394 .0156	.2128 .0936 .0936 .0937 .0947 .0947 .0868 .0818 .0818 .0818 .0818 .0937 .0937 .0937 .0937 .0938 .0937 .0938	.1500 .0538 .0359 .0058 .1086 .1318 .0996 .1055 .1178 .1582 .1708 .1582 .0633 .0213	.101\( \) (0238\( \) (0238\( \) (0383\( \) (	.0671 .008 .008 .01396 .1191 .1196 .1055 .1164 .1154 .1154 .1164 .1164 .1164 .1164 .1164 .1164 .1164 .1164 .1164 .1164 .1164 .1164 .1164 .1164 .1164 .1164 .1164 .1164	.0616 .0045 .0045 .0246 .0391 .1157 .1157 .1254 .0857 .0857 .1021 .0905 .0035 .0035 .0035 .0035 .0035 .0035 .0035 .0035 .0035	0.1061 .0661 .0174 -0129 -0304 -0996 -0996 -0677 -0723 -0792 -1016 -1133 -0655 -0966 .1422	.0723 .0236 .00816 .00816 .0095 .0095 .0095 .0095 .0095 .0095 .0095 .0095 .0095 .0095 .0095 .0095 .0095 .0095





### OR FEBRUAL

TABLE I .- Continued

# PRESSURE COEFFICIENTS OF A 120-INCH FINENESS-RATIO-12 BODY OF REVOLUTION IN THE LANGLEY 16-FOOT TRANSONIC TUNNEL

(g) M = 1.01.

				a =	-2.3°									a = 1	4.1°				
<b>z/</b> l	٨	В	c ·	D	E	7	G.	н	I	<b>z/</b> l	A	В	c.	D	2	7	G	H	I
0.017 .033 .067 .100 .133 .307 .533 .506 .567 .633 .767 .633 .767 .833 .767 .833 .867 .933	0.1780 .1337 .0672 .0364 .0152 .0580 .0773 .0917 .0956 .0724 .0580 .0647 .0859 .1100 .1061 .0633 .0653 .0663	0.1721 .1293 .0631 .0377 .0021 .0683 .0820 .1005 .0742 .0859 .0937 .0937 .0937 .0937 .0937 .0937 .1166 .1150	0.1793 .1407 .0732 .0490 .00581 -0735 -0784 -0658 -0784 -0659 -0677 -0909 -1121 -1160 -0330 .0645 .0625 .0933 .0645 .064	0.1965 .1419 .0718 .0446 .0544 0820 10771 0907 0742 0742 0742 07528 .0543 .0543 .0543 .0543 .1267 .1127 .11468 .1390	0.2102 .1600 .0886 .6666 .0877 .0546 .0878 .0878 .0878 .0878 .0878 .0878 .0878 .1277 .1277 .1277 .1277 .1277	0.2296 .1653 .0933 .0602 .0349 .0411 .0703 .0976 .0976 .0839 .1044 .1306 .1143 .0907 .0485 .1140	0.2430 1851 11118 0770 0534 -0532 -0813 -0600 -0706 -0600 -0697 -0890 -1218 -1392 -0890 -0530 -1218 -1392 -0530 -1218 -1392 -0530 -1218 -1392 -1	0.2510 .1867 .1166 .0680 .0465 -0751 -0786 -0761 -0761 -1034 -1073 -11882 -1073 .0436 .0757 .1079 .1517 .1079	0.2575 1967 1224 0770 0.539 -0938 -0484 -0735 -0504 -0677 -0957 -0957 -1288 -1411 -1006 0.529 0.028 1118 11504	0.017 .037 .067 .100 .133 .160 .233 .300 .343 .500 .533 .700 .833 .853 .853 .853 .853 .853 .853 .853	0.2661 2073 1291 .0866 .0627 -0704 -0733 -0697 -1044 -1746 -	0.2638 .2094 .1299 .1007 .0493 .0118 .0468 .0729 .0720 .1021 .1021 .1254 .1255 .1255 .1255 .1256 .1251	0.2346 .1873 .1109 .0810 .0307 -0630 -0901 .0659 -0862 -0717 -0814 -1104 -1297 -1394 .0385 .0771 .1080 .1566	0.2327 .1726 .0930 .0699 .0309 .0740 .0740 .0897 .0749 .0817 .1069 .1332 .1467 .0483 .0483 .0523 .1454	0.1969 1448 0713 0365 0133 -0620 -0891 -11142 -0814 -0823 -1067 -1374 -0814 0501 0887 -1138 -1138 -1138 -1138 -1138	0.1891 .1279 .0639 .0289 .0289 .0075 .0877 .1050 .0877 .0895 .0740 .0953 .1167 .1168 .0600 .0969 .1163 .1193 .1396	0.1651 1187 0.539 0211 0037 -0736 -0910 -0698 -0910 -1123 -1142 -0446 0.579 0.935 1138 11370	0.1716 1182 0629 0221 0037 -0662 -0817 -0798 -0623 -0613 -0637 -1060 -1021 -0293 0619 0949 1163 1454	0.1651 11148 0597 0191 -0002 -0688 -0852 -0978 -0659 -0620 -0852 -0620 -0852 -1046 -0369 0588 0926 1148 1142 11457
				a =	-0.2°									a = 6	5.2°			_	
0.017 .033 .067 .103 .167 .133 .300 .367 .433 .567 .633 .767 .803 .867 .900 .933	0.2066 1514 1514 1529 1529 1529 1529 1529 1529 1529 1529	0.8079 .1592 .0873 .0581 .0594 0889 0843 0869 0643 0702 0702 0702 0663 .0702 0663 .0702 0663 .0702 0663 .0702 0663	0.1889 .1583 .0578 .0589 .0695 .0895 .0896 .0896 .0814 .0617 .0614 .0717 .0896 .0997 .1116 .0997 .1116 .1525 .1448	0. 2156 .1602 .0562 .0562 .0632 .0635 .0635 .0635 .0635 .0635 .0635 .0635 .0635 .0635 .0635 .0635 .1267 .1267 .1267 .1267 .1267 .1266 .1266 .1266 .1266	0.2105 .1622 .0907 .0307 .0307 .0307 .0698 .0699 .0699 .0717 .1220 .1220 .1326 .0897 .1138 .1520 .1331	0.2243 .1612 .0912 .0913 .0348 0410 0633 0663	0.2182 .1661 .0543 .0365 .0365 .0669 .0669 .0659 .0658 .0568 .1200 .1326 .0598 .1200 .1326 .1348	0.2263 .1660 .0999 .0523 .0319 .0816 .0824 .0805 .0816 .0824 .0964 .1334 .0964 .1334 .1334 .1334 .1533 .156	0.24 -1694 -1694 -1694 -1693 -		0.3122 .1498 .1671 .1219 .0969 .0969 .0952 -0940 -0963 -1223 -1223 -1492 -1492 -0963 -1492 -1492 -1493 -1498 -1498 -1498	0. 89 23 25 25 25 25 25 25 25 25 25 25 25 25 25	0.2532 .8331 .1241 .0513 .0403 .0175 .0869 .0667 .0850 .1158 .1159 .1159 .1159 .1159 .1159 .1159 .1159	0.223 .1621 .6834 .6934 .092 -0527 -0836 -1867 -1989 -1989 -1984 -1999 -1508 -1209 -1209 -1209 -1308 -	0.171 .1279 .0566 .0239 .0074 .1033 .0965 .11390 .0936 .1390 .1390 .1390 .1390 .1390 .1390 .1391 .1391 .1391 .1391 .1391 .1391 .1391 .1391 .1391 .1391 .1391	0.1582 .1057 .0377 .0327 .0327 .0326 .1110 .1275 .0993 .0896 .1032 .1267 .1267 .1267 .1267 .1267 .1267 .1267 .1267 .1267 .1267 .1267 .1267 .1267 .1267 .1267 .1267	0.1434 .0981 .0364 .0069 0399 0399 0390 0390 030	0.1488 0.04888 0.00888	0.1434 .0990 .0451 .0034 .0039 .0763 .0366 .0566 .0566 .0566 .0576
				α-	2.0°									a = 8	3.4°				
0.017 .067 .100 .133 .167 .233 .300 .343 .500 .563 .700 .700 .833 .867 .900 .933	0.2339 .1809 .1048 .0701 .0461 -0262 -0599 -0734 -0697 -0724 -0857 -1197 -1197 -1380 -1198 .0432 .0827 .11259 .1591	0.2250 .1837 .1077 .0776 .0319 .0587 .0587 .0688 .0663 .0780 .1003 .1227 .1131 .1003 .1227 .1431 .1034 .1126	0.2219 .1765 .1031 .0722 .027803590629062906230663071611891074 .0461 .0461 .0571 .11572	0.2273 .1709 .0931 .0601 .0329 -0429 -0692 -0632 -0632 -0741 -1246 -1363 .0513 .0633 .1145	0.2093 .1610 .0867 .0759 .0278 .0278 .0475 .0996 .0697 .0707 .0707 .0707 .0707 .098 .11296 .0830 .0966 .1176 .1533 .1379	0.2098 .1475 .0795 .0435 .0251 -0527 -0741 -0838 -0692 -0712 -0712 -0935 -1178 -0564 -0562 -0562 -1178 -1284 .1524 .1524	0.1948 .1437 .0761 .0413 .0220 -0755 -0756 -0842 -0887 -0688 -0900 -1112 -1199 -0558 .0973 .1203 .1203 .1203 .1203 .1203 .1203	0.1961 .1398 .0776 .0348 .0354 .0557 0741 0682 0888 0693 0896 1129 1129 0449 .0601 .0941 .1184 .1514	0.1958 .1427 .0799 .0404 .0182 0494 0503 0683 0683 0683 0699 9904 1953 1552 .0537 .0954 .1253 .1373	0.017 .033 .067 .100 .133 .300 .367 .333 .300 .563 .700 .767 .800 .837 .900 .933	0.3536 .2863 .1998 .1517 .1248 .0575 0040 0367 0386 0454 0588 0906 1223 1482 1790 .0296 .0652 .0902 .0902 .0902 .0902 .0902	0.3257 .2646 .1763 .1366 .0371 .0328 0215 0439 0613 0720 1049 1321 1680 1903 .0250 .0510 .0250 .0510 .05	0.2636 .2116 .1288 .0941 .0412 -0127 -07599 -0926 -0688 -0926 -1311 -1523 -1831 -1839 .0248 .0643 .1028 .1026 .1026	0.2132 .1501 .0706 .0377 .0042 1069 1127 1127 1126 1476 1699 1845 1845 .0367 .0803 .1172 .1598 .1618	0.1490 .0999 .0268 0050 03684 1330 1581 1388 1196 1388 1165 0705 .0903 .11666 .1481	0.1259 .0716 .0095 0244 0400 1117 1350 1486 11234 1059 1166 1108 1	0,1076 .0672 .0133 -0156 0291 -1157 -11176 0945 0945 0695 0695 0695 0696	0.1210 .0745 .0269 070 0908 0908 0987 0779 0779 0709 0700 0962 1105 0106 .0367 .0768 .0367 .0768 .0367	0.1192 .0778 .0306 .0021 .0349 .0349 .0945 .0560 .0793 .0793 .0793 .0793 .0593 .0593 .0593 .0593 .0593 .0593 .0593 .0593 .0593



TABLE I.- Continued

### PRESSURE COEFFICIENTS OF A 120-INCH FINENESS-RATIO-12 BODY OF

### REVOLUTION IN THE LANGLEY 16-FOOT TRANSONIC TUNNEL

(h) M = 1.02.

				α =	-2.3°									c. = 1	.1°				
x/l	A	В	c	D	E	7	G-	H	I	x/2	A	В	С	D	B	Y	G	н	I
0.017 .033 .067 .100 .133 .307 .433 .507 .633 .767 .633 .767 .803 .867 .903	0.1958 .1501 .0815 .0491 .0291 .0394 .0689 .0774 .0889 .0774 .0899 .0813 .0813 .0813 .1348 .1634	8 0.1897 .1523 .0857 .0763 .0857 .0424 .0662 .0901 .0719 .0901 .0767 .0862 .0805 .0805 .0805 .1036 .1370 .1618	0,1981 1580 0893 0896 0197 -0395 -0862 -0910 -0796 -0939 -0853 -0853 -0864 -0939 -1361 -1361 -1580	0.2114 .1656 .0941 .0626 -0032 -0357 -0662 -0958 -0738 -0939 -0834 -0939 -0872 -0939 -0872 -1007 1341 -1570	0.2277 1790 1046 0731 0445 - 0262 - 0615 - 0939 - 0729 - 0939 - 0853 - 0901 - 0954 - 0834 - 0834 - 1054 - 1342 - 1455 - 1550	0.2438 .1866 .1141 .0769 .0769 -0738 -0738 -0815 -0815 -0815 -0958 -0958 -1082 -1082 -1132 -11332 -11332 -11618	0.2602 2019 .1275 .0834 .0674 -0462 -0717 -0662 -0834 -0959 -0958 -1139 -1063 -1063 -1294 .1733 .1647	0.2715 .2114 .1370 .0893 .0683 .0683 .0683 .0683 .0967 .0977 .0978 .0978 .0978 .1139 .1139 .1139 .1244 .1752 .1647	0.2745 - 2745 - 2734 - 2733 - 2735 -	0.017 .087 .067 .100 .1137 .233 .300 .347 .500 .733 .700 .733 .700 .833 .867 .900 .933	0.2984 .2303 .1512 .1064 .0826 .0158 .0347 .0652 .0575 .0776 .0776 .0938 .0957 .11214 .1214 .1214 .1214 .1214 .1214 .1214 .1214 .1214 .1214 .1214 .1214 .1214	0.2798 2303 1483 1140 0.663 0072 -0347 -0690 -0576 -0814 -0957 -1052 -11692 -1235 1693	0.2566 2088 .1314 .0999 .0493 .0806 .0673 .0911 .1016 .1016 .1036 .1257 .1277 .1277 .1277	0.2474 -1902 -1121 -0749 -0473 -0633 -06716 -09716 -1014 -0971 -1062 -11062 -11066 -1043 -0863 -0863 -0963	0.2193 .1668 .0913 .0560 .0321 0386	0.2017 .1521 .0816 .0263 .0461 .0763 .1014 .0881 .1015 .0957	0.1869 .1400 .0741 .0378 .0520 .0768 .0921 .0844 .0921 .0844 .0873 .0864 .0951 .0453 .1028 .1299 .1620	0.1893 1397 0187 0187 - 0461 - 0719 - 0890 - 0766 - 0938 - 0823 - 0881 - 0785 - 0862 - 0862 - 0862 - 1126 - 1126 - 1126 - 1126	0.1879 .1353 .0760 .0378 .0179 .0462 .0720 .0673 .0874 .0892 .0768 .0892 .0768 .0893 .0893 .1018 .1314 .1680
	<u> </u>		<u> </u>	a =	-0.20		<b>.</b>	1			L		<u> </u>	a =	6.2°	L			-
0.017 .033 .067 .100 .133 .167 .233 .500 .567 .633 .700 .803 .866 .900 .933	.0969 .0615 .0429 .0429 .0627 .0877 .0877 .0971 .0971 .0910 .1000 .1000 .1000 .1100	.1028 .0732 .0312 .0291 .0596 .0873 .0701 .0921 .0920 .0950 .1026 .0321 .0971 .1333 .1683	.1751 .1022 .0715 .0293 .0311 .0608 .0876 .0704 .0915 .0905 .0934 .0005 .0957 .1310 .1674	.1573	.1780 .1041 .0677 .0447 .0963 .0963 .0915 .0806 .0963 .0856 .0972 .0848 .0245 .0245 .0266 .0976 .0926 .0266 .0926 .0276	.1831 .1095 .0703 .0703 0233 0777 0854 0750 0893 0816 0950 0950 0874 0874	1087 0876 .0255 .0965	.1841 .1143 .0694 .0474 -0166 -0758 -0797 -0673 -0893 -0797 -0893 -0950 -0893 -0950 -0864 -0950 -0864 -0950	.1808 .1118 .0677 .0466 -0176 -0560 -0675 -0867 -0753 -0866 -0963 -10686 .0255 ,0926 .1300 .1693	0.017 .033 .067 .100 .133 .167 .233 .300 .367 .433 .500 .5633 .760 .833 .860 .933	.2637 .1788 .1330 .1063 .0385 -0177 -0521 -0628 -0731 -0968 -0968 -1294 -1294 -1294 -1294 -1437 -1616	.2516 .1667 .1342 .0738 .0225 .0615 .0519 .0736 .0806 .0806 .0917 .1397 .1397 .1397 .1397 .1397 .1397 .1397	.1363 .1025 .0512 .0512 .0513 .0721 .0721 .0772 .1137 .1147 .0062 .0777 .1147 .1166	.1791 .0989 .0622 .0340 .0340 .0340 .0149 .0187 .0187 .0187 .0187 .0187 .1590	.1k30 .0694 .0340 .0992 -0997 -1266 -1036 -1284 -1183 -1183 -1183 -1183 -1183 -1183 -1183 -1183	.0015 0701 1006 1168 1073 1111 0997 0938 0538 .0416 .0960 .1237 .1600	1124 10493 10596 10596 10711 10721 10893 108		.1124 .0579 .0605 .0616 .0797 .0932 .0769 .0893 .0769 .0807 .0807 .0405
				α.	1.9°						1			a =	8.5°		1	1	
0.017 .033 .066 .103 .166 .233 .306 .306 .506 .636 .707 .708 .808 .838 .808 .909	.1957 7 .1188 8 .058 7 -0103 8 -052 9 -080 7 -065 8 -081 7 -100 8 -095 1 -100 9 -102 9 -102 9 -103 1 -106 1	20337 1227 109337 1	7 .1914 5 .1147 .0840 2 .0399 9 .0209 9 .0209 9 .0809 9 .0809 9 .0969 9 .0969 9 .0969 9 .0969 9 .0969 1160 160 160 160 160 160 160 16	.188; .112; .075; .051; .090; .069; .090; .090; .090; .090; .099; .099; .131; .169	1743 1744 1744	.1694 .0607 .0607 .0628 .0633 .0633 .0633 .0633 .0633 .0633 .0711 .0328 .0387 .0387 .0387 .0387 .0387	.1607 .0388 .0388 .0397 .0397 .0300 .0400 .0800 .0900 .0000 .0000 .0000 .0000 .0000 .0000 .0000 .0000 .0	7 .1608 3 .0965 4 .0540 1 .0339 5 -0633 3 -0843 3 -0739 3 -090 6 -0738 8 -090 6 -0813 3 -0890 4 -0605 1020 1168	.1540 .0917 .0495 .0359 0675 0752 0915 0896 0915 0838 0915 0915 0915 0915 0915 0915 0915 0915 0915 0915 0915 0915 0915 0915 0915 0915 0915 0916 0915 0915 0915 0915 0915 0915 0915 0915 0916 0915 0916 0915	.83 .86	286; 7 .209; 7 .209; 1606; 8 .013; 7 .030; 9 .030; 7 .032; 7 .032; 7 .032; 7 .032; 7 .195; 0 .109; 0 .07; 163; 163;	3 .2805 1913 1559 1.059 1.	2233 3 1393 1047 7 0533 3 -001 9 -0550 0 -080 9 -108 6 -106 6 -106 6 -132 5 -13	77 .1667 .084 .084 .047 .017 20	1117 1037 1037 1037 1038	7 .088; 025; 099; 0946; 0946; 144; 144; 117; 117; 117; 117; 091; 092; 090; 0	3 .0793 4 .0234 5 .0088 1 .0923 3 .0923 3 .1094 4 .122 4 .122 6 .0957 7 .094 6 .0958 6 .0348 1188 2 .166		0.0396 0.0408 0.0633 0.0633 0.0741 0.0780



TABLE I .- Continued

20

# FRESSURE COEFFICIENTS OF A 120-INCH FINENESS-RATIO-12 BODY OF REVOLUTION IN THE LANGLEY 16-FOOT TRANSONIC TUNNEL

(i) M = 1.05.

0.031 0.091 1.170 1.183 1.185 1.286 2.099 2.816 2.202 2.677 0.031 2.836 3.836 2.299 2.886 1.099 1.090 1.000					c =	-2.3°									c. = 1	1°				
0.031 1.061 1.170 1.111 1.1152 1.1156 1.2151 1.221 1.231 1.1151 1	<b>1</b> /1	٨	В	С	D	E	P	œ	н	I	x/l	A	В	С	D	E	7	G	н	1
0.01 0.2362 0.2337 0.2368 0.2330 0.2361 0.2466 0.2477 0.2596 0.2547 0.077 0.3411 0.3266 0.2945 0.2316 0.2236 0.1833 0.1769 0.1771 0.1303 1.1877 1.1935 1.1937 1.1936 1.1932 1.1936 1.1937 1.1936 1.1937 1.1936 1.1937 1.1936 1.1937 1.1936 1.1937 1.1936 1.1937 1.1936 1.1937 1.1936 1.1937 1.1936 1.1937 1.1936 1.1937 1.1936 1.1937 1.1936 1.1937 1.1936 1.1937 1.1936 1.1937 1.1936 1.1937 1.1936 1.1937 1.1936 1.1937 1.1936 1.1937 1.1936 1.1937 1.1936 1.193	0.017 .033 .067 .103 .167 .233 .300 .433 .500 .563 .700 .735 .767 .800 .833 .867 .900	.1691 .1114 .0881 .0723 .0734 .0739 .0743 .0743 .1134 .1136 .1136 .1266 .1366 .1505 .1505 .1571	0.2069 1705 1154 0958 0994 -0013 -0340 -0723 -0648 -1087 -1157 -1217 -1068 -0265 0874 11594	.1741 .1163 .0976 .0624 -0321 -0732 -0657 -1012 -1142 -1138 -1138 -1114 -0386 -0743	.1835 .1229 .1004 .0711 .0062 -0349 -0667 -0928 -1021 -1159 -1376 -1376 -1389 -1389 -1389 -1399 -1399	.1928 .1293 .1293 .1293 .0274 -0769 -0666 -0937 -1030 -1217 -1236 -1441 -1487 -1487 -1508 .1708 .1708 .1708 .1708	.859 .143 .1136 .0576 .0239 -0639 -0639 -1236 -1236 -1236 -1367 -0611 .0346 .1574 .2031	.266 .1527 .1228 .1079 .0351 .0660 .0660 .0660 .1124 .1241 .1256 .0679 .1257 .1256 .1257 .1256 .1257	.2302 .1695 .1294 .0463 .0246 .0405 .0499 .0741 .1189 .1189 .1255 .1460 .1591 .0807 .0743 .1555 .2059	.637 .1620 .1265 .1079 .063 -058 -058 -058 -058 -058 -125 -125 -125 -125 -125 -125 -125 -125	8.88.83.84.88.84.88.88.88.88.88.88.88.88.88.88.	.2456 .1748 .1741 .1236 .0565 .0488 .0589 .0731 .0731 .1215 .1373 .1532 .1700 .1634 .1047 .0509 .1413 .1981	.2463 .1743 .1491 .1061 .0473 -0527 -0527 -0527 -0527 -1200 -1321 -1676 -0566 .066	.293 .1593 .1350 .0930 .0360 -0097 -0611 -0783 -0881 -1033 -1257 -1367 -1535 -1731 -1666 -0900 .094 .1491 .1957	.2098 .1388 .1149 .0902 .0293 .0798 .0697 .0985 .1078 .1312 .1312 .1564 .164 .164 .164 .164 .164 .164 .164 .1	.1864 .1182 .0967 .0753 .0052 -0387 -0881 -1040 -1124 -1311 -1339 -1535 -1544 -1339 -1535 -1544 -1346	1678 1099 0818 0678 0060 0452 -0863 -0807 1103 -1246 -1269 -1469 -1153 -0321 0818 1189	.1574 .1005 .0949 .0641 .0097 .0452 .0975 .10769 .1079 .1160 .1180 .1274 .1079 .0293 .0762 .1453 .1453	.1556 .1071 .0753 .0585 .0433 .0807 .0704 .0929 .1013 .1115 .1121 .1181 .1003 .0219 .0781 .1883	0.1977 .1509 .1023 .0734 .0584 -0060 -0396 -0797 -0899 -11143 -11292 -1152 -0975 -0237 -0743 .1453 .1453 .1692 .2060
0.33 1.677 1.936 1.937 1.973 1.984 1.992 1.984 2.667 2.002 0.03 2.830 2.733 2.441 2.061 1.731 1.144 1.340 1.342 1.067 1.051 1.152 1.133 1.134 1.134 1.		<u>-</u>		,	α=	-0.2°									a = (	6.2°				
0.017 0.2697 0.2619 0.281 0.286 0.2411 0.2339 0.283 0.2302 0.2264 0.017 0.3905 0.3660 0.3146 0.2607 0.2037 0.1618 0.1524 0.1563 0.1 0.33 0.217 0.2171 0.2152 0.299 0.1993 0.1835 0.1797 0.1798 0.179 0.333 0.3253 0.3902 0.2624 0.017 0.2037 0.1618 0.1524 0.1563 0.1 0.67 0.1486 0.1499 0.1489 0.1385 0.1321 0.1247 0.1219 0.1266 0.1228 0.067 0.2453 0.2280 0.1869 0.1246 0.816 0.0993 0.0530 0.0761 0.0 0.1216 0.1265 0.1265 0.1126 0.1097 0.958 0.0977 0.900 0.900 0.100 0.2025 0.1963 0.1552 0.0966 0.0933 0.0313 0.037 0.0900 0.133 0.1030 0.0892 0.0873 0.9020 0.0333 0.046 0.036 0.0762 0.0761 0.133 0.1793 0.179 0.0595 0.0940 0.0173 0.0248 0.0237 0.0610 0.0174 0.0356 0.0265 0.0040 0.0174 0.0356 0.0265 0.0245 0.0174 0.0356 0.0265 0.0245 0.0274 0.0265 0.0245 0.0274 0.0265 0.0045 0.0274 0.0265 0.0245 0.0274 0.0265 0.0245 0.0274 0.0265 0.0245 0.0274 0.0265 0.0245 0.0274 0.0265 0.0245 0.0274 0.0265 0.0245 0.0274 0.0265 0.0245 0.0274 0.0265 0.0245 0.0274 0.0265 0.0245 0.0274 0.0265 0.0245 0.0274 0.0265 0.0245 0.0274 0.0265 0.0245 0.0245 0.0274 0.0265 0.0245 0.0274 0.0265 0.0245 0.0274 0.0265 0.0245 0.0274 0.0265 0.0245 0.	.033 .067 .100 .130 .167 .233 .300 .567 .633 .700 .767 .800 .833 .801	.1877 .1253 .1011 .0745 .0173 .0264 .0617 .0871 .1205 .1270 .1410 .1410 .0581 .0676 .1581 .0676	.1936 .1330 .1123 .0761 .0155 -0209 -0862 -0951 -1123 -1188 -1337 -1384 -1235 -0507 .0789 .1582 -0507 .0789 .1582 -0507	.1937 .1321 .1125 .0761 .0164 -0190 -0657 -0610 -0831 -0981 -1150 -1273 -0573 -0573 .0696 .1350 -2031	.1973 .1330 .1366 .0892 .0192 .0694 .0601 .0904 .11142 .11377 .1384 .1237 .0733 .1572 .2039 .2039	1984 .1331 .1116 .0901 .0202 .0200 .0713 .0620 .0890 .1161 .1169 .1149 .1149 .1292 .0620 .0677 .1527 .2040	.1992 .1395 .1106 .0966 .029 .0610 .0824 .0913 .1139 .1170 .1356 .1427 .0945 .0838 .1588 .2057	.1984 .1377 .1097 .0967 .0239 -0172 -0629 -0844 -1161 -1189 -1385 -1487 -1385 -1487 -1329 -0610 .0715 .1536 .2040	.2067 .1458 .1153 .0977 .0313 .0601 .0563 .0806 .1160 -1207 -1393 .1460 -1393 .1582 .2077	.8012 .1424 .1097 .0920 .0295 -0576 -0576 -1120 -1422 -1421 -1421 -1421 -1421 -1421 -1421 -1421 -1422 -1431 -1422 -1431	.033 .067 .100 .133 .300 .367 .433 .700 .563 .700 .767 .800 .833 .863 .863 .863 .900	.809 .2073 .1703 .1706 .0806 .0177 .0320 .0699 .0699 .1374 .1522 .1755 .1755 .1168 .0359 .1291 .1952	.2743 .1977 .1697 .1698 .0688 .0127 .0405 .0742 .0882 .1190 .1358 .1545 .1872 .1144 .0389 .1394	.2441 .1723 .1452 .1004 .0444 0661 0592 0909 1040 1320 1459 1889 1040 .0519 .1347	.2061 .1332 .1080 .0828 .0136 -0919 -0826 -1128 -11480 -1751 -1874 -1751 -1874 -1751 -1874 -1751 -1874 -1751 -1874 -1751 -1874 -1751 -1874	.1713 .1023 .0808 .0566 0125 0592 1077 0937 1182 1182 1186 1665 1669 1376 0452 .0696 1379 .1872 095	.1444 .0656 .0585 .0454 .0256 .0658 .1041 .0966 .1158 .1358 .1349 .1406 .1106 .0312 .0697 .1348	.1340 .0817 .0817 .0874 -0274 -0610 -0937 -1021 -1021 -1152 -1180 -11320 -1202 -0274 .0696 .1340 .1891	.1342 .0893 .0604 .0463 .0200 .0508 .0835 .072 .1022 .1097 .1181 .1330 .0312 .0604 .1276 .1809	0.1760 .1349 .0912 .0622 .0472 .0181 .0480 .0797 .0890 .0996 .1030 .1096 .1030 .1021 .0984 .2311
1. 4501 .1954 .1954 .2002 .2003 .200	.033 .067 .100 .133 .167 .233 .300 .367 .433 .500 .567 .633 .767 .800 .833 .866 .866	.2157 .1486 .1216 .1030 .0359 0153 0796 0615 0786 1205 1308 1457 1401 0777 .0639 .1514	.2171 .1499 .1266 .0392 .0323 .0060 .0736 .0346 .0170 .11264 .11430 .1590 .1483 .0576 .0576 .0576 .0576	.2152 .1489 .1265 .0873 .0286 0134 0620 0564 0893 0956 1180 1143 11422 0687 .1543 0687 .545 .545 .545 .545	0.2526 .2059 .1368 .0920 .0230 .0230 .0330 .0666 0681 0881 1189 11266 1226 1226 1365 1365 0713 .0584 .1499	0.2441 1993 1321 1097 .0883 .0174 -0246 -0741 -0638 -0900 -11002 -1180 -11203 -1143 -1273 -0743 -0743 -1273	.1835 .1247 .0946 .0346 .0368 0666 0872 1012 1161 1198 1385 1226 0517 .0706 .1490 .2003	.1797 .1219 .0957 .0836 .0999 0722 0676 0881 1132 1132 1329 1329 1342 0368 .0817 .159	.1798 .1266 .0926 .0762 .0366 0629 0862 1142 1189 1357 1337 1133 0424 .0696 .1499 .1984	.1779 .1228 .0920 .0761 .0127 .0284 .0761 .0629 .0872 .0974 .1136 .1136 .1277 .0321 .0789 .1575 .2003	.033 .067 .100 .133 .300 .367 .433 .500 .567 .633 .703 .703 .800 .863 .863 .863	.3253 .2453 .2025 .1783 .1122 .0369 .0422 .0609 .1260 .1446 .1659 .1753 .0313 .1346 .2099	.3092 .2280 .1963 .1963 .0304 0237 0619 0778 1113 1318 1318 1943 1262 .0201 .3011 .2085	.2624 .1859 .1552 .1059 .0518 0600 0600 0936 1037 1383 1718 1718 1998 1159 .0471 .1159 .2149	0.2607 .2019 .1246 .0966 .0695 .0034 0572 1011 1309 1402 1747 1943 2027 1934 0964 .0481 .1469 .2066	0.2037 .1524 .0816 .0583 .0304 0358 1827 1187 1148 1495 1700 167E 1783 1625 1336 0367 .0704	.1171 .0593 .0313 .0173 .0516 .0945 .1272 .1160 .1328 .1328 .1402 .1349 .1402 .1262 .1262 .1266 .1423 .2038	.1133 .0630 .0397 .0248 0479 0805 1029 1024 1122 1159 1262 1131 0982 0246 .0723 1.1422 0246	.1180 .0761 .0500 .0323 0600 0843 0765 1048 1160 1261 1225 1226	0.1599 .1236 .0816 .0746 .0369 .0274 .0535 .0786 .0814 .0836 .1029 .1131 .0880 .0982 .0246 .0695 .1329 .1329 .1329 .1329




TABLE I .- Concluded

# PRESSURE COEFFICIENTS OF A 120-INCH FINENESS-RATIO-12 BODY OF REVOLUTION IN THE LANGLEY 16-FOOT TRANSONIC TUNNEL

(j) M = 1.09.

	α = -2.4°								a = 4.1°										
x/1	٨	В	С	D	E	F	G	H	I	x/l	A	В	C	D	Е	P	G	Ħ	I
0.017 .033 .067 .100 .133 .167 .233 .300 .367	0.864 8.464 9.55 9.55 9.55 9.55 9.55 9.55 9.55 9.5	0.2014 .1682 .1103 .0744 .0477 .0047 .0499 .0480	0.1968 .1646 .1048 .577 .0421 .0431 .0315 .0315	0.2253 .1830 .1130 .0799 .0670 .0140 0554 0574	0.2263 .1849 .1131 .0808 .0689 .0195 .0195 .0315	0.2557 .2669 .1333 .0946 .0882 .0145 0103 0434 0366	0.25% 2077 2079 2079 2079 2078 2078 2078 2078 2078 2078 2078 2078	0.2869 .1958 .1655 .1176 .1020 .0578 .0090 0260 0195	0.2788 .235 .1600 .1085 .0574 .0578 .0589 0555 0551	0.017 .033 .067 .100 .433 .167 .233 .367 .433	0.298 298 298 298 298 298 298 298 298 298	0.2798 .2366 .1656 .1306 .0892 .0413 .0044 0297 0177	0.2568 .2235 .1517 .1186 .0771 .0330 0011 0324 0204	0.2504 .2034 .1334 .0965 .0754 .0238 0264 0564 0361	0.2215 .1821 .1131 .0790 .0615 .0127 0269 0582 0370 .0238	0.2080 .1656 .1030 .0615 .0588 0168 0343 0610 0444	0.1913 .1526 .1011 .0532 .0541 0158 0366 0536 0570	0.2006 .1564 .1076 .0560 .0486 .0072 0287 0573 0333	5 8 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9
.500 .567 .633 .700 .733 .767 .800 .833 .867 .900	0425 0921 1233 1481 1536 1426 0627 0627 0627 0628 1211	0490 0931 1226 1447 1520 1428 0950 0444 .0099 .0992 .1351	0370 0932 1263 1493 1622 1521 0591 0597 .0808 .1158	0664 1069 1309 1577 1576 1539 0628 .0164 .0964 .1305	0517 1088 1337 1622 1733 1714 1217 0757 0039 .0827 .1167	0545 1152 1318 1594 1695 1169 0609 .0090 .1001 .1333	0296 1088 1318 1622 1890 1892 1337 0784 0171 .0873 .1195	0434 1171 1261 1649 1892 1898 1318 0766 .0035 .1103 .1379	0195 1097 1291 1699 1963 1963 1963 1963 0878 0878 0878 0878	.500 .567 .633 .700 .733 .767 .800 .833 .867 .900 .933	0397 1114 1363 1684 1887 1979 1510 0967 0186 0945 1387	0426 1126 1402 1678 1945 2047 1476 0914 0140 .0984 .1380	0407 1107 1420 1677 1935 1990 1401 0867 9039 .0956 .1324	0748 1255 1457 1770 1909 1899 1338 0794 .0035 .0947 .1269	0702 1180 1420 1714 1788 1723 1162 0646 .0072 .0910 .1250	0693 1162 1365 1595 1641 1549 1034 0573 .0247 .0919 1232	0563 1015 1254 1475 1493 1401 0959 0527 .0053 .0873 .1232	0582 1024 1255 1494 1457 1384 0941 0582 .0044 .0882 .1288	0481 0932 1140 1429 1429 1328 0353 0353 0353 0353 0353 0353 0353
				a =	-0.2°					. a = 6.2°									
0.017 .033 .067 .100 .133 .167 .233 .300 .367 .433 .700 .567 .633 .767 .803 .867 .900 .933	0.24 0 1799 0.577 0.678 0.059	.1840 .1214 .0864 .0560 .0095 0471 0287 .0118 0499 1033 1319 1678 1678	0.2236 .1855 .1250 .0910 .0587 .0145 -0398 -0223 .0210 -0429 -1595 -1591 -1595 -1070 -0609 .1029 .1379	0.2328 .1895 .1195 .0864 .0735 .0210 -0936 .092 -0646 -1107 -1337 -1604 -1632 -1162 -0702 .0044 .0993 .1352	0.2383 .1950 .1278 .0910 .0762 .0265 -0131 -0462 .0260 .0330 -0591 -1071 -1567 -1664 -1125 .0690 .090 .1048 .1398	0.2457 .1978 .1278 .0864 .0827 .0081 -0140 -0471 -0306 .0366 -0545 -1134 -1291 -1733 -1687 -1733 -1687 -1134 -1733 -1687 -1134 -1733 -1687 -1134 -1733 -1687 -1134 -1733 -1687 -1134 -1733 -1687 -1134 -1733 -1687 -1733 -1687 -1733 -1687 -1733 -1734	0.2447 .2014 .1324 .0891 .0864 .0118 -0085 -0389 .0260 .0477 -0444 -1070 -1254 -1530 -1641 -1066 .0811 .1066	0.2595 .2042 .1453 .0956 .0836 .0403 076 0486 1309 1622 1742 1757 0002 .1011 .1361	0.2539 .2060 .1453 .0928 .0827 .0493 -0398 -0398 -0434 -1107 -1275 -1567 -1671 -1671 -1673 -1683 -1798	0.017 .033 .067 .100 .133 .167 .233 .300 .307 .433 .707 .633 .707 .633 .707 .800 .833 .867 .900	0.3297 .2709 .1946 .1340 .0862 .0164 .0066 0 .0577 .0241 .1022 .1344 .1702 .1702 .1702 .1702 .1702 .1702 .1702	0.31k4 .2666 .1893 .1562 .1121 .0605 .0191 -0167 .0743 -0342 -1190 -1190 -1190 -2001 -2001 -1621 -0296 .0891 .1516	0.2815 .2355 .1609 .305 .0827 .0345 .0250 .0403 .0416 .1171 .1549 .1816 .2219 .2239 .1622 .0827 .0827 .1361	0.2500 .1965 .1231 .0937 .0679 .0173 0655 0462 .0145 1403 1603 1934 2081 2081 0830 .0007 .0863 .1332	0.2060 .1628 .0802 .0606 .0422 0077 0481 0763 0077 1622 1816 118	0.1829 .0799 .0440 .0394 -0351 -0717 -0726 -0167 -0826 -1244 -1455 -1621 -1621 -1692 -1014 -0572 .0007 .0835 .1305	0.1609 .1250 .0716 .0330 .0357 -0333 -0462 -0646 -0444 -0131 -0600 -1263 -1493 -1493 -1392 -1015 -0626 -1250	0.1775 .1360 .0918 .0431 .0377 0577 0591 0223 0103 0223 0977 1450 1450 1373 1354 0655 0994 .0771 .1387	0.1646 .12k1 .0864 .0366 .0366 -0043 -0324 -0259 -0444 -0886 -1162 -1304 -1304 -0311 -0679 .1499
				c =	1.90					a = 8.5°									
0.017 .033 .067 .100 .133 .167 .231 .3367 .633 .707 .633 .767 .803 .867 .900 .933	0.2563 .2067 .1433 .0780 .0844 .0412 .0042 .0333 .0545 .1326 .11740 .11740 .11740 .11740 .11740 .11740 .11740	0.2513 .2117 .1454 .0717 .0256 .0076 0223 .0302 0490 1365 1605 1605 1607 1807 1807 1807 1807 1807 1808	0.2484 2088 1425 1066 0.696 -0.057 -0.195 -0.195 -1.138 -1.1742 -1.1742 -1.189 -0.683 -0.090 1.094 -1.398	0.2476 .2015 .352 .0965 .0772 .0256 0158 0297 0219 0114 11347 114 1752 1715 1709 0711 .0072 .1076	0.2383 1950 1315 0900 07238 - 0149 - 0462 - 0260 0293 - 0628 - 1291 - 1585 - 1604 - 1295 - 1604 - 1295 - 1604 - 1295 - 1606 - 1297 - 0628 - 0136 - 1076	0.2301 .1868 .1205 .0781 .0795 -0002 -0204 -0499 .0192 -0628 -1262 -1549 -1586 -1061 -0591 .0109 .0109	0.2226 .1830 .1167 .0735 .0716 .0002 .0168 .0274 .0274 .0375 .1226 .1475 .1579 .1475 .0917 .0016 .1048 .1361	0.2301 .1794 .1251 .0744 .0643 .0219 0315 0315 0310 1549	0.2272 1793 1250 5735 .652 .628 -0131 -0471 -0860 .684 -0499 -1159 -1470 -1493	0.017 .033 .067 .100 .133 .167 .233 .367 .433 .500 .700 .757 .800 .833 .767 .800 .833 .900 .933	0.3738 .3094 .2268 .1762 .1624 .1119 .0314 .0314 .0314 .0314 .0314 .0314 .1297 .1656 .1297 .1156 .11793 .11793 .11793 .11793 .11793 .11793 .11808	0.3503 .2979 .2132 .1810 .1341 .0808 .0357 .0029 .0017 .0753 .0259 .1041 .1131 .2263 .2320 .1143 .0480 .0891 .1737	0.2970 .2510 .1663 .1341 .0845 .0403 -0011 -0370 .0247 -0554 -1261 -1676 -1952 -2265 -2421 -1768 -1106 -0287 .0955 .1590	.1948 .1093 .0835 .0559 .0044 0453 0830	0.1829 .0596 .0377 .0136 .0342 0738 0489 1207 1603 1842 2017 1971 1971 1971 1971 1974 0664 .0909 .1461	0.1525 .1111 .0495 .0173 .0127 -0618 -0756 -0968 -0563 -0471 -1052 -1529 -1612 -1557 -1651 -0618 -0855 .0891	0.1332 .0004 .0164 .0173 .0517 .0591 .0296 .0695 .1290 .1469 .1469 .1469 .1469 .1469 .1461	0.1516 .1167 .0762 .0302 .0256 .0416 .0600 .0050 0627 1166 1156 1156 1156 1156 1157 .0779 .0799	0.1461 .1111 .0743 .0283 .0283 .0140 .0374 .0053 .0140 .0473 .0076 .1154 .1154 .1154 .1154 .1166 .0069 .0731 .0069





L-69735

Figure 1.- Downstream view of the test section of the Langley 16-foot transonic tunnel showing the 120-inch body installed.






Figure 2.- Long sting configuration mounted on model support head and strut at angle of attack.





General transonic fuselage ordinates					
x/I	y/l	x/I	y/l		
0	0	0.4500	0.04143		
0.005	0.00231	.5000	.04167		
.0075	.00298	.5500	.04130		
.0125	.00428	.6000	.04024		
.0250	.00722	.6500	.03842		
.0500	.01205	.7000	.03562		
.0750	.01613	.7500	.03128		
.1000	.01971	.8000	.02526		
.1500	.02593	.8333	02083		
.2000	.03090	.8500	.01852		
.2500	.03465	.9000	.01125		
.3000	.03741	. 9500	.00439		
.3500	.03933	L0000	0 .		
.4000	.04063				
Leading edge radius = 0.0005 l					


Orifice locations				
x/1	x/Z			
0.017	0.567			
.033	.633			
.067	.700			
.100	.733			
.133	.767			
.167	.800			
.233	.833			
.300	.867			
.367	.900			
.433	.933			
.500				
NACA				

(a) 120-inch body.

Figure 3.- Dimensions and details of models tested in Langley 16-foot transonic tunnel.







Angular positions of orifice meridians

100-inch body

Orifice locations				
x/l l=120*				
0.017	0.433			
.033	.467			
.067	.500			
.100	.533			
.133	.567			
.167	.600			
.200	.633			
.233	.667			
.267	.700			
.300	.733			
.333	.767			
.367	.800			
400				

33.3	33-inch	body

Orifice locations				
x/1 1	<b>40</b> "			
θ=0°,45°,135°,180°	θ= 75°, 105°			
0.0625	0.1625			
.1125	.2125			
.1625	.2625			
.2125	.3125			
.2625	.3625			
.3125	.3875			
.3625	.4125			
.4125	.4375			
.4625	.4625			
.5125	.4875			
.5625	.5125			
.6125	.5325			
.6625	.5625			
.7125	.5875			
.7625	.6125			
.8125	.6375			
	.6625			
	.7125			

NACA

(b) 100- and 33.33-inch bodies.

Figure 3.- Concluded.








Figure 4.- Measured surface deviation along the 100-inch and 120-inch bodies from a faired curve. Arrows denote locations of pressure orifices of the 120-inch body.



(a) Reynolds number per foot based on body length.


Figure 5.- Variation of average Reynolds number with Mach number for tests in the Langley 16-foot transonic tunnel.






(b) Cross-flow Reynolds number per foot based on maximum body diameter at  $8^{\circ}$  angle of attack.

Figure 5.- Concluded.



(a) M = 0.60.


Figure 6.- Comparison of pressure coefficients over the three bodies with angle of attack. Plain symbols are  $180^{\rm O}$  meridian and flagged symbols are  $0^{\rm O}$  meridian.



(b) M = 0.95.

Figure 6.- Continued.


A STATE OF THE PARTY OF THE PAR



(c) M = 1.00.

Figure 6.- Continued.






(d) M = 1.02.


Figure 6.- Continued.






(e) M = 1.05.

Figure 6.- Continued.





(f) M = 1.09.

Figure 6.- Concluded.








Figure 7.- Circumferential pressure distributions at one body station (x/l = 0.10) for four Mach numbers at  $8^{\circ}$  angle of attack.






Figure 8.- Circumferential pressure distributions at two body stations (x/l = 0.36 and 0.61) for two Mach numbers at  $8^{\circ}$  angle of attack.






Figure 9.- Variation of the normal-force coefficient with Mach number of the 100- and 33.33-inch bodies at 80 angle of attack.






Figure 10.- Incremental-pressure-coefficient distribution with radial angle at  $8^{\rm O}$  angle of attack for two different bodies.






Figure 11.- Variation of pressure coefficient on the 120-inch body along the  $180^{\circ}$  meridian for the  $5^{\circ}$  and  $9^{\circ}$  string-cone angles with Mach number at  $0^{\circ}$  angle of attack.